

According to Regulation (EC) No 1907/2006

PICCOMAT®

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

PICCOMAT®

UFI code

3TAA-CCRC-UW00-2JAA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Vending machine cleaner for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Fax

+49 (0) 5223 9970-195

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email

info@kleen-purgatis.de

1.4. Emergency telephone number

+49 (0)551- 19240 (GIZ-Nord)

Available outside office hours

Yes

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Skin irritation, hazard category 2

Eye irritation, hazard category 2

Hazard statements

H315, H319

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22

KLEEN
PURGATIS

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrases M factor acute M factor chronic	Note
2-(2-butoxyethoxy)ethanol	112-34-5 203-961-6 01-2119475104-44-xxxx 603-096-00-8	5 - 10%	Eye Irrit. 2	H319 - -	-
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether	166736-08-9 605-450-7 02-2119630747-33-xxxx -	1 - 5%	Eye Irrit. 2	H319 - -	-
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3 270-115-0 01-2119489428-22-xxxx -	1 - <3%	Acute Tox. 4 - oral, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3	H302, H315, H318, H412 - -	-
1-propoxypropan-2-ol	1569-01-3 216-372-4 01-2119474443-37-xxxx -	1 - 2%	Flam. Liq. 3, Eye Irrit. 2	H226, H319 - -	-

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

Inhalation

Take the victim into fresh air.

Skin contact

In case of contact, immediately flush skin with plenty of water. If symptoms persist, call a physician.

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If symptoms persist, call a physician.

Information for doctors

Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Inhalation of vapours is irritating to the respiratory system, may cause throat pain and cough.

Skin contact

Causes skin irritation.

Eye contact

May cause eye irritation.

Ingestion

Ingestion may cause stomach irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, dry powder, foam, carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Ensure adequate ventilation, especially in confined areas. Avoid direct contact with the material / product.

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. sand, silica gel, sawdust...).

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product. Ensure adequate ventilation, especially in confined areas.

General hygiene

When using, do not eat, drink or smoke.

Wash hands before breaks and immediately after handling the product.

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container and packaging materials for safe storage: store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from food, drink and animal feeding stuffs. Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 12 (non-flammable liquids)

Storage temperature: 10°C to 40°C

7.3. Specific end use(s)

GISCODE: GG60

See section Vending machine cleaner

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22

KLEEN
PURGATIS

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure limits

Ingredient	CAS No. EC No.	Exposure limit ppm / mg/m ³	Short-term exposure limit ppm / mg/m ³	Source	Remark	Year
1-propoxypropan-2-ol (EU)	1569-01-3 216-372-4	50 -	75 -	Dow IHG	-	-
2-(2-butoxyethoxy)ethanol (EU)	112-34-5 203-961-6	10 67.5	15 101.2	-	-	-

DNEL/DNEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	DNEL	Chronic (long term) Oral	0.85 mg/kg	Consumers	Systemic
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	DNEL	Chronic (long term) Dermal	170 mg/kg	Workers	Systemic
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	DNEL	Chronic (long term) Inhalation	12 mg/kg	Workers	Systemic
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Chronic (long term) Inhalation	67.5 mg/m ³	Workers	Local
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Acute (short term) Inhalation	101.2 mg/m ³	Workers	Local
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Chronic (long term) Oral	6.25 mg/kg	Consumers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	PNEC	Marine water	0.0268 mg/kg
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	PNEC	Sediment (freshwater)	8.1 mg/kg
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	PNEC	Sewage Treatment Plant	3.43 mg/kg

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22

KLEEN
PURGATIS

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	PNEC	Freshwater	0.268 mg/kg
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Freshwater	1.1 mg/l
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Marine water	110 µg/l
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Sediment (freshwater)	4.4 mg/kg
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Sediment (marine water)	440 µg/kg
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Soil	0.32 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Eye / face protection

Chemical-resistant safety glasses with side protection conforming to EN166.

Hand protection

Protective gloves complying with EN 374.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



KLEEN
PURGATIS

Colour

Blue

Odour

Fresh scent

Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not determined for the mixture.

Boiling point or initial boiling point and boiling range

Not determined for the mixture.

Flammability

Not applicable.

Lower and upper explosion limit

The product / mixture has no explosive properties.

Flash point

No data available

Auto-ignition temperature

Not applicable.

Decomposition temperature

Not determined for the mixture.

pH

11

Kinematic viscosity

Not determined for the mixture.

Viscosity, dynamic

Not determined for the mixture.

Solubility

Water soluble

Water solubility

Miscibility

Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not determined for the mixture.

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



Density and/or relative density

1,03 g/ml

Relative vapour density

Not determined for the mixture.

Evaporation Rate

Not determined for the mixture.

Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

VOC %

5,31% (CH)

Particle characteristics

No data available

9.2. Other information

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

Hazardous decomposition products formed under fire conditions.

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components.

Acute toxicity

Based on the available data, the classification criteria are not met.

Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Test animals	Method / Guideline
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3 / 270-115-0	LD50	~ 1020 mg/kg	Oral	rat	-
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propyl- heptyl) ether 166736-08-9 / 605-450-7	LD50	>2000 mg/kg	Oral	rat	-
1-propoxy- propan-2-ol 1569-01-3 / 216-372-4	LD50	> 2.000 mg/kg	Oral	rat	-
1-propoxy- propan-2-ol 1569-01-3 / 216-372-4	LD50	> 2.000 mg/kg	Dermal	rabbit	-
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LD50	2.410 mg/kg	Oral	mouse	OECD 401
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LD50	2.764 mg/kg	Skin contact	rabbit	OECD 402

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes eye irritation.

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity

Toxicology data for the components.

Acute fish toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
1-propoxy- propan-2-ol 1569-01-3 / 216-372-4	LC50	> 100 mg/l	96 h	Oncorhynchus mykiss	OECD 203
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3 / 270-115-0	LC50	1,67 mg/l	96 h	Bluegill sunfish	-
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LC50	1.300 mg/l	96h	Lepomis mac- rochirus	OECD 203

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



KLEEN
PURGATIS

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LC50	>100 mg/l	-	Leuciscus idus	-

Acute algae toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3 / 270-115-0	EC50	29 mg/l	96 h	Pseudokirchneriella subcapitata	-
1-propoxy- propan-2-ol 1569-01-3 / 216-372-4	ErC50	1.466 mg/l	96 h	Pseudokirchneriella subcapitata	OECD 201
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	EC50	>100 mg/l	96h	Scenedesmus sub- spicatus	OECD 201

Acute crustacean toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3 / 270-115-0	EC50	2,9 mg/l	48 h	Daphnia magna	-
1-propoxy- propan-2-ol 1569-01-3 / 216-372-4	LC50	> 100 mg/l	48 h	Daphnia magna	OECD 202

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22

KLEEN
PURGATIS

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	EC50	>100 mg/l	48h	Daphnia magna	-

Micro-/macro organism toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
1-propoxy- propan-2-ol 1569-01-3 / 216-372-4	EC50	3.800 mg/l	16 h	Bacteria (activated sludge)	-
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	EC10	>1995 mg/l	0,5h	Activated sludge	OECD 209

12.2. Persistence and degradability

Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential

No information available

12.4. Mobility in soil

Mobility

No information available

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



12.7. Other adverse effects

Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

In accordance with local and national regulations.

Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Waste code	Waste description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

No dangerous goods in the sense of the transport regulations

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

No dangerous goods in the sense of the transport regulations

14.3. Transport hazard class(es)

Label

No dangerous goods in the sense of the transport regulations

14.4. Packing group

No dangerous goods in the sense of the transport regulations

14.5. Environmental hazards

Environmental hazards

No dangerous goods in the sense of the transport regulations

14.6. Special precautions for user

Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Other

Not applicable

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: <5 % non-ionic surfactants, anionic surfactants, soap, phosphonates, phosphates, contains perfumes, LIMONENE.

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: No

Substance restrictions according to Annex XVII: No

Substances on the REACH candidate list (SVHC): No

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

Section 3. Composition/information on ingredients: Classification 2-butoxyethanol

Rev. 5.2: Change in product identifier (1.1) - UFI

Section 9. Physical and chemical properties: VOC value

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
 Issued: 2024-10-11
 Replaces SDS: 2022-11-22

KLEEN
PURGATIS

Abbreviations

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ADR - Accord relatif au transport international des marchandises Dangereuses par Route
 CAS - Chemical Abstract Service
 CLP - Classification, Labelling and Packaging
 DMEL - Derived Minimum Effect Level
 DNEL - Derived no effect level
 EC50 - Half maximal effective concentration 50%
 GHS - Globally Harmonised System
 IATA - International Air Transport Association
 IMDG - International Maritime Dangerous Goods
 LC50 - Lethal concentration 50%
 LD50 - Lethal dosis 50 %
 MARPOL - International Convention for the Prevention of Pollution from Ships
 PBT - Persistent, bioaccumulative and toxic substance
 PEC - Predicted Environmental Concentration
 PNEC - predicted no effect concentration
 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals
 RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses
 SVHC - Substance of very high concern
 vPvB - Very persistent, very bioaccumulative substance

References to key literature and data sources

REACH registration dossiers
 ECHA C&L - Inventory
 Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:
 Health hazards: calculation method

Phrase meaning

Skin Irrit. 2 - Skin irritation, hazard category 2
 Eye Irrit. 2 - Eye irritation, hazard category 2
 Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4
 Eye Dam. 1 - Serious eye damage, hazard category 1
 Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3
 Flam. Liq. 3 - Flammable liquids, hazard category 3
 H226 Flammable liquid and vapour.
 H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H412 Harmful to aquatic life with long lasting effects.

According to Regulation (EC) No 1907/2006

Piccomat

Version number: 5.2
Issued: 2024-10-11
Replaces SDS: 2022-11-22



Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.