

According to Regulation (EC) No 1907/2006

PRODIL® TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

PRODIL® TENSID BOOSTER

UFI code

JHVP-P0XT-F41N-90JH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Laundry booster for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email

info@kleen-purgatis.de

1.4. Emergency telephone number

+49 (0)551- 19240 (GIZ-Nord)

Available outside office hours

Yes

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Serious eye damage, hazard category 1

Acute toxicity, oral, hazard category 4

Hazardous to the aquatic environment — Chronic hazard category 3

Hazard statements

H302, H318, H412

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P264 Wash hands thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear eye protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

More information

Hazard components for labeling:

Alcohols, C12-C14, ethoxylated

Isotridecanol, ethoxylated

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Specific concentration limits ATE	Note
Alcohols, C12-14, ethoxylated	68439-50-9 - 01-2119487984-16-xxxx -	50 - 80%	Acute Tox. 4 - oral, Eye Dam. 1, Aquatic Chronic 3	H302, H318, H412 - -	ATE [Oral]: 500 mg/kg bw	-
ethanol	64-17-5 200-578-6 01-2119457610-43-xxxx 603-002-00-5	5 - <10%	Flam. Liq. 2	H225 - -		-
alcohols, C13-15, branched and linear, ethoxylated	157627-86-6 - - -	5 - 10%	Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3	H319, H400, H412 - -		-
Isotridecanol, ethoxylated	9043-30-5 - - -	5 - 10%	Eye Dam. 1, Aquatic Chronic 3	H318, H412 - -		-
alcohols, C13-15-branched and linear, butoxylated ethoxylated	111905-53-4 - 02-2119552554-37-xxxx -	1 - 5%	Acute Tox. 4 - oral, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3	H302, H319, H400, H412 - -		-
2-(2-butoxyethoxy) ethanol	112-34-5 203-961-6 01-2119475104-44-xxxx 603-096-00-8	1 - 5%	Eye Irrit. 2	H319 - -		-

Substance additional information
For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures
Description of first aid measures
First responders: Pay attention to self-protection.

Inhalation
Take the victim into fresh air. May cause respiratory irritation. Call a physician if irritation persists.

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



Skin contact

Wash off with soap and water. In the case of skin irritation or allergic reactions see a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Consult a physician.

Information for doctors

Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Immediate effects can be expected after long-term exposure.

Inhalation

May cause throat irritation. discomfort in the chest

Skin contact

Skin irritation , redness

Eye contact

Eye irritation, cloudy / blurred field of vision, excessive lachrymation.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray, dry powder, foam, carbon dioxide (CO₂). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions. By heating or fire toxic gas is liberated.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Avoid direct contact with the material / product. Wear personal protective equipment.

General hygiene

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Store in a place accessible by authorized persons only.

Keep in a dry, cool place.

Storage class according to TRGS 510: 12 (non-flammable liquids)

Store in original container.

Storage temperature: 10 °C to 40 °C

7.3. Specific end use(s)

See section 1.2: Laundry booster

PC35 - Washing and cleaning products (including solvent based products)

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure limits

Ingredient	CAS No. EC No.	Exposure limit ppm / mg/m ³	Short-term exposure limit ppm / mg/m ³	Source	Remark	Year
2-(2-butoxyethoxy)ethanol (EU)	112-34-5 203-961-6	10 / 67.5 /	15 / 101.2 /			-

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Inhalation	950 mg/m ³	Workers	Systemic
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Dermal	343 mg/kg bw/day	Workers	Systemic
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Chronic (long term) Inhalation	67.5 mg/m ³	Workers	Local

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
ethanol (64-17-5/200-578-6)	PNEC	Freshwater	960 µg/l
ethanol (64-17-5/200-578-6)	PNEC	Sewage Treatment Plant	580 mg/l
ethanol (64-17-5/200-578-6)	PNEC	Sediment (freshwater)	3.6 mg/kg sediment dw
ethanol (64-17-5/200-578-6)	PNEC	Soil	0.63 mg/kg soil dry weight
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Freshwater	1.1 mg/l
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Sediment (freshwater)	4.4 mg/kg sediment dw
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Soil	0.32 mg/kg soil dry

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Eye / face protection

Chemical-resistant safety glasses with side protection conforming to EN166.

Hand protection

Chemical-resistant protective gloves (EN 374)

Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable.

Environmental exposure controls

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

blue

Odour

characteristic

Melting point / freezing point

Not applicable.

Boiling point or initial boiling point and boiling range

Not applicable.

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



Flammability

Not applicable.

Lower and upper explosion limit

The product / mixture has no explosive properties.

Flash point

46 °C

Auto-ignition temperature

Not applicable.

Decomposition temperature

No data available

pH

8.5

Kinematic viscosity

No information available

Viscosity, dynamic

0.07 Pa · s

Method

Haake, 20 °C

Solubility

Water soluble

Water solubility

completely soluble

Partition coefficient n-octanol/water

No information available

Vapour pressure

Not applicable.

Density and/or relative density

983 g/l

Relative density

No information available

Relative vapour density

Not applicable.

Evaporation Rate

Not applicable.

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



Explosive properties

The product / mixture has no explosive properties.

VOC %

CH: 9,38 %

Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

9.2. Other information

Flash point: The product has been tested for self-sustaining combustion (L.2) - result: negative.

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal use.

10.2. Chemical stability

Stable at normal conditions

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

Hazardous decomposition products formed under fire conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components.

Acute toxicity

Harmful if swallowed.

Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
Alcohols, C12- 14, ethoxylated 68439-50-9 /	LD50	<2.000 mg/kg	Oral	-	rat	-

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
alcohols, C13-15-branched and linear, butoxylated ethoxylated 111905-53-4 /	LD50	>300 - 2.000 mg/kg	Oral	-	rat	-
ethanol 64-17-5 / 200-578-6	LD50	> 2.000 mg/kg	Dermal	-	rabbit	OECD 402
ethanol 64-17-5 / 200-578-6	LD50	10.470 mg/kg	Oral	-	rat	OECD 401
ethanol 64-17-5 / 200-578-6	LC50	> 50 mg/l	Inhalation	4 h	rat	OECD 403
ethanol 64-17-5 / 200-578-6	LC50	> 20 mg/l	Inhalation	4 h	mouse	-
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LD50	2.410 mg/kg	Oral	-	mouse	OECD 401
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LD50	2.764 mg/kg	Skin contact	-	rabbit	OECD 402

Skin corrosion/irritation

Prolonged skin contact may cause skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity

Toxicology data for the components.

Acute fish toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
ethanol 64-17-5 / 200-578-6	LC50	8.140 mg/l	48 h	Leuciscus idus	-
alcohols, C13-15- branched and linear, butoxylated ethoxylated 111905-53-4 /	LC50	>1 - 10 mg/l	96h	Leuciscus idus	-
2-(2-butoxyethoxy) ethanol 112-34-5 / 203-961-6	LC50	1.300 mg/l	96h	Lepomis mac- rochirus	OECD 203
2-(2-butoxyethoxy) ethanol 112-34-5 / 203-961-6	LC50	>100 mg/l	-	Leuciscus idus	-

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30

**Acute algae toxicity**

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
ethanol 64-17-5 / 200-578-6	EC50	> 100 mg/l	Static test	Chlorella pyrenoidosa	OECD 201
ethanol 64-17-5 / 200-578-6	EC50	275 mg/l	72 h	Chlorella vulgaris	OECD 201
2-(2-butoxyethoxy) ethanol 112-34-5 / 203-961-6	EC50	>100 mg/l	96h	Scenedesmus subspicatus	OECD 201
Isotridecanol, ethoxylated 9043-30-5 /	EC10	0,6 mg/l	-	algae	-

Acute crustacean toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
ethanol 64-17-5 / 200-578-6	EC50	> 10.000 mg/l	48 h	Daphnia magna	-
alcohols, C13-15- branched and lin- ear, butoxylated eth- oxylated 111905-53-4 /	EC50	> 0,1 - 1 mg/l	48h	Daphnia magna	OECD Guideline 202, part 1
2-(2-butoxyethoxy) ethanol 112-34-5 / 203-961-6	EC50	>100 mg/l	48h	Daphnia magna	-

Micro-/macro organism toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
alcohols, C13-15- branched and linear, butoxylated ethoxylated 111905-53-4 /	EC10	>1000 mg/l	-	Activated sludge	-

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
2-(2-butoxyethoxy) ethanol 112-34-5 / 203-961-6	EC10	>1995 mg/l	0,5h	Activated sludge	OECD 209

12.2. Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

Mobility

No information available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

Other

German Water Class

WGK2 - significantly water endangering

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging : Dispose of as unused product.

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



Waste code	Waste description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Environmental hazards

-

IMDG Marine Pollutant

No

14.6. Special precautions for user

Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other

Not applicable

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: > 30 % non-ionic surfactants

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: No

Substance restrictions according to Annex XVII: No

Substances on the REACH candidate list (SVHC): No

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: Not applicable.

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: Not applicable.

Notifiable raw materials according to Annex II: Not applicable.

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: Not applicable.

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: No

Directive 2012/18/EU (Seveso III)

Seveso hazard category: Not applicable.

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

Change in product identifier (1.1)

Abbreviations

ADN - European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR - The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE - Acute Toxicity Estimate

BCF - Bioconcentration Factor

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
 Issued: 2025-11-06
 Replaces SDS: 2024-04-30



CAS - Chemical Abstracts Service
 CE - Conformité Européenne (European conformity)
 CLP - Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 CSA - Chemical Safety Assessment
 CSR - Chemical Safety Report
 DMEL - Derived Minimal Effect Level
 DNEL - Derived No Effect Level
 EINECS - European Inventory of Existing Commercial chemical Substances
 ES - Exposure Scenario
 EUH statement - CLP-specific Hazard statement
 EuPCS - European Product Categorisation System
 EWC - European Waste Catalogue
 GHS - Globally Harmonized System of Classification and Labelling of Chemicals
 GWP - Global warming potential
 IARC - International Agency for Research on Cancer (IARC)
 IATA - International Air Transport Association
 IBC - Intermediate Bulk Container
 IMDG - International Maritime Dangerous Goods
 LogPow - logarithm of the octanol/water partition coefficient
 MARPOL - International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" - marine pollution)
 OECD - Organisation for Economic Co-operation and Development
 PBT - Persistent, Bioaccumulative and Toxic
 PNEC - Predicted No Effect Concentration
 RID - The Regulations concerning the International Carriage of Dangerous Goods by Rail
 RRN - REACH Registration Number
 SCL - A specific concentration limit
 STOT-RE - Specific Target Organ Toxicity - Repeated Exposure
 STOT-SE - Specific Target Organ Toxicity - Single Exposure
 SVHC - Substances of Very High Concern
 TWA - Time weighted average
 UN - United Nations
 UVBC - Unknown or variable composition, complex reaction products or of biological materials
 VOC - Volatile Organic Compound
 vPvB - Very Persistent and Very Bioaccumulative

References to key literature and data sources

REACH registration dossiers
 ECHA C&L - Inventory
 Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:
 Health hazards: calculation method
 Environmental hazards: calculation method

According to Regulation (EC) No 1907/2006

PRODIL TENSID BOOSTER

Version number: 1.1
Issued: 2025-11-06
Replaces SDS: 2024-04-30



Phrase meaning

Eye Dam. 1 - Serious eye damage, hazard category 1
Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4
Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3
Flam. Liq. 2 - Flammable liquids, hazard category 2
Eye Irrit. 2 - Eye irritation, hazard category 2
Aquatic Acute 1 - Hazardous to the aquatic environment — Acute hazard category 1
H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.