

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Piccomat DC

UFI code

S1JC-A4UY-8C12-AAKC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Vending machine cleaner for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Fax

+49 (0) 5223 9970-195

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email

info@budich.de

1.4. Emergency telephone number

+49 (0) 551 - 19240 (GIZ-Nord)

Available outside office hours

Yes

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14

KLEEN
PURGATIS

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Skin corrosion, hazard category 1A

Serious eye damage, hazard category 1

Hazard statements

H314, H318

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P280 Wear protective gloves/eye protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

More information

Hazard components for labeling:

sodium hydroxide

potassium tripolyphosphate

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14

KLEEN
PURGATIS

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
potassium tripolyphosphate (contains KOH)	13845-36-8 - - -	5 - 10%	Met. Corr. 1, Skin Irrit. 2, Eye Irrit. 2	H290, H315, H319 - -	-
sodium p-cumenesulphonate	15763-76-5 239-854-6 01-2119489411- 37-xxxx -	1 - 5%	Eye Irrit. 2	H319 - -	-
alcohols, C12-14, ethoxylated propoxylated	68439-51-0 - - -	1 - 2.5%	Aquatic Chronic 3	H412 - -	-
sodium hydroxide	1310-73-2 215-185-5 01-2119457892- 27-xxxx 011-002-00-6	>0 - <1%	Skin Corr. 1A	H314 - -	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 %;

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

Inhalation

Take the victim into fresh air. If symptoms persist, call a physician.

Skin contact

In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Consult a physician if necessary.

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14



KLEEN
PURGATIS

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Get medical attention immediately.

Information for doctors

For specialist advice physicians should contact the Poisons Information Service.

4.2. Most important symptoms and effects, both acute and delayed

Immediate effects can be expected after long-term exposure.

Inhalation

Irritation and / or corrosion of the respiratory tract.

Skin contact

Causes skin irritation.

Eye contact

May cause eye irritation.

Ingestion

Ingestion may cause stomach irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray, dry powder, foam, carbon dioxide (CO₂). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Corrosive

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product. Ensure adequate ventilation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. sand, silica gel, sawdust...).

6.4. Reference to other sections

For information on storage and handling see section 7.

For personal protection see section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Avoid direct contact with the material / product. Ensure adequate ventilation, especially in confined areas. Wear personal protective equipment.

General hygiene

Wash hands after handling.

When using, do not eat, drink or smoke.

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container and packaging materials for safe storage: store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Keep away from food, drink and animal feeding stuffs.

Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 8B (non-flammable, corrosive hazardous substances)

Suitable container and packaging materials for safe storage

Storage temperature: 10°C to 40°C

7.3. Specific end use(s)

GISCODE: GG70

See section 1.2: Vending machine cleaner

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
sodium hydroxide (1310-73-2/215-185-5)	DNEL	Chronic (long term) Inhalation	1 mg/m³	Workers	Local
sodium p-cumenesulphonate (15763-76-5/239-854-6)	DNEL	Chronic (long term) Dermal	136.25 mg/kg	Workers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-854-6)	DNEL	Chronic (long term) Inhalation	26.9 mg/m³	Workers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Freshwater	0.23 mg/l
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Sewage Treatment Plant	100 mg/kg
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Sediment (freshwater)	0.862 mg/kg
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Soil	0.037 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Eye / face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Wear chemical-resistant disposable protective gloves according to EN 374.
Suitable material: Butyl (butyl rubber) or NBR (nitrile rubber), category III according to EN 374.
The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Other skin protection

Not required.

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14



KLEEN
PURGATIS

Respiratory protection

Not required.

Thermal hazards

Not applicable

Environmental exposure controls

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Yellow-green

Odour

Fresh scent

Odour threshold

Not applicable.

Melting point / freezing point

Not determined for the mixture.

Boiling point or initial boiling point and boiling range

Not determined for the mixture.

Flammability

Not applicable.

Lower and upper explosion limit

The product / mixture has no explosive properties.

Flash point

No data available

Auto-ignition temperature

Not applicable.

Decomposition temperature

Not applicable

pH

14

Kinematic viscosity

Not determined for the mixture.

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14



KLEEN
PURGATIS

Viscosity, dynamic

Not determined for the mixture.

Solubility

Not determined for the mixture.

Water solubility

Miscible

Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not determined for the mixture.

Density and/or relative density

1.087 g/cm³

Relative vapour density

Not applicable.

Evaporation Rate

Not determined for the mixture.

Explosive properties

Not applicable.

Oxidising properties

The product / mixture has no oxidizing properties.

VOC %

< 3 %

Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

None under normal use.

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14



10.4. Conditions to avoid

Avoid temperatures above 60°C, direct sunlight and contact with sources of heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components.

Acute toxicity

Based on available data, the classification criteria are not met.

Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Test animals	Method / Guideline	Remarks
sodium p-cume- nesulphonate 15763-76-5 / 239-854-6	LD50	> 5.000 mg/kg	Oral	rat	OECD 401	-
Potassium tri- polyphosphate (contains KOH) 13845-36-8 /	LD50	365 mg/kg	Oral	rat	-	potassium hydroxide
Potassium tri- polyphosphate (contains KOH) 13845-36-8 /	LD50	>2.000 mg/kg	Oral	rat	-	-
alcohols, C12- 14, ethoxylated propoxylated 68439-51-0 /	LD50	> 2.000 mg/kg	Oral	rat	-	-

Skin corrosion/irritation

Causes severe skin burns.

Serious eye damage/irritation

May cause irreversible eye damage.

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14



Carcinogenicity

Based on the available data, the classification criteria are not met.

Repeated dose toxicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity

Toxicology data for the components.

Acute fish toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
sodium p-cume- nesulphonate 15763-76-5 / 239-854-6	LC50	>100 mg/l	96 h	Rainbow trout	Static test	literature value
Potassium tri- polyphosphate (contains KOH) 13845-36-8 /	LC50	80 mg/L	96h	Gambusia affinis (Mosquito fish)	-	-
alcohols, C12- 14, ethoxylated propoxylated 68439-51-0 /	LC50	> 1 - < 10 mg/l	48 h	Golden orfe	-	-

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14



KLEEN
PURGATIS

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
sodium p-cumenesulphonate 15763-76-5 / 239-854-6	EC50	>100mg/l	96 h	Pseudokirchneriella subcapitata	Static test	literature value
alcohols, C12-14, ethoxylated propoxylated 68439-51-0 /	EC50	> 1 -< 10 mg/l	72 h	Scenedesmus subspicatus	-	-

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
alcohols, C12-14, ethoxylated propoxylated 68439-51-0 /	EC50	> 1 - < 10 mg/l	24 h	Daphnia magna (Water flea)	-	-
sodium hydroxide 1310-73-2 / 215-185-5	EC50	40,4 mg/l	48 h	Ceriodaphnia dubia (Wasserfloh)	-	ECHA
sodium p-cumenesulphonate 15763-76-5 / 239-854-6	EC50	>100 mg/l	48 h	Daphnia magna (Water flea)	Static test	literature value

Micro-/macro organism toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
sodium p-cumenesulphonate 15763-76-5 / 239-854-6	EC10	>1.000 mg/l	3 h	Activated sludge	OECD 209

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14

KLEEN
PURGATIS

12.2. Persistence and degradability

Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential

No information is available for this item.

12.4. Mobility in soil

Mobility

No information is available for this item.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Do not re-use empty containers.

Contaminated packaging: Dispose of as unused product.

Waste code	Waste description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

UN 1719

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14

KLEEN
PURGATIS

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide , Potassium triphosphosphate)

IMDG proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide, Potassium triphosphosphate)

14.3. Transport hazard class(es)

Label

ADR/RID/ADN



ADR / RID Class

8

ADR / RID Classification code

C5

ADR / RID hazard identification number

80

IMDG Class

8

IATA Class

8

ADN Class

8

ADN Class Code

C5

14.4. Packing group

III

14.5. Environmental hazards

Environmental hazards

-

IMDG Marine Pollutant

-

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
 Issued: 2024-12-11
 Replaces SDS: 2021-09-14



14.6. Special precautions for user

Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

IMDG EmS

F-A,S-B

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other

Additional information ADR-RID

LQ: 5 L

EQ: E1

Transport category (tunnel restriction code): 3 (E)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: < 5 % non-ionic surfactants, anionic surfactants, 5 - 15 % phosphates, contains perfumes.

Regulation (EC) No. 1272/2008 (CLP)

EU Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: No

Substance restrictions according to Annex XVII: No

Substances on the REACH candidate list (SVHC): No

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14



National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

Adaptation to the amending regulation (EU) 2020/878

Rev. 6.1: General update without changes.

Abbreviations

ADN - European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR - The European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS - Chemical Abstract Service

CLP - Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

DMEL - Derived Minimum Effect Level

DNEL - Derived No Effect Level

EC50 - Half maximal effective concentration 50%

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LC50 - Lethal concentration 50%

LD50 - Lethal dosis 50 %

MARPOL - International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978. ("Marpol" - marine pollution)

PBT - Persistent, bioaccumulative and toxic substance

PEC - Predicted Environmental Concentration

PNEC - Predicted No Effect Concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals

RID - The regulations concerning the International Carriage of Dangerous Goods by Rail

SVHC - Substance of Very High Concern

vPvB - Very persistent, very bioaccumulative substance

References to key literature and data sources

REACH registration dossiers

ECHA C&L - Inventory

Safety data sheets from raw material suppliers

According to Regulation (EC) No 1907/2006

Piccomat DC

Version number: 6.1
Issued: 2024-12-11
Replaces SDS: 2021-09-14

KLEEN
PURGATIS

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC)

1272/2008 [CLP]:

Health hazards: pH

Phrase meaning

Skin Corr. 1A - Skin corrosion, hazard category 1A

Eye Dam. 1 - Serious eye damage, hazard category 1

Eye Irrit. 2 - Eye irritation, hazard category 2

Met. Corr. 1 - Corrosive to metals, hazard category 1

Skin Irrit. 2 - Skin irritation, hazard category 2

Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.