

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

POWER STRIP NEUTRA

UFI code

4MJR-W7R9-CW0P-HE8P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product type

Basic cleaner for professional users.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email

info@budich.de

1.4. Emergency telephone number

+49 (0)551 - 19240 (GIZ-Nord)

Available outside office hours

Yes

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Skin irritation, hazard category 2

Serious eye damage, hazard category 1

Hazard statements

H315, H318

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P264 Wash hands thoroughly after handling.

P280 Wear eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrases M factor acute M factor chronic	Specific concentration limits ATE	Note
2-(2-butoxyethoxy) ethanol	112-34-5 203-961-6 01-2119475104-44-xxxx 603-096-00-8	5 - 10%	Eye Irrit. 2	H319 - -		-
2-phenoxyethanol	122-99-6 204-589-7 01-2119488943-21-xxxx 603-098-00-9	5 - 10%	Acute Tox. 4 - oral, Eye Dam. 1, STOT SE 3	H302, H318, H335 - -	ATE [Oral]: 1394 mg/kg bw	
3-butoxypropan-2-ol	5131-66-8 225-878-4 01-2119475527-28-xxxx 603-052-00-8	5 - 10%	Skin Irrit. 2, Eye Irrit. 2	H315, H319 - -		-
Isotridecanol, ethoxylated	69011-36-5 - - -	5 - <10%	Eye Irrit. 2, Aquatic Chronic 3	H319, H412 - -		-
sodium p-cumene-sulphonate	15763-76-5 239-854-6 01-2119489411-37-xxxx -	1 - 5%	Eye Irrit. 2	H319 - -		-
2-aminoethanol	141-43-5 205-483-3 01-2119486455-28-xxxx 603-030-00-8	1 - <2%	Acute Tox. 4 - oral, Acute Tox. 4 - dermal, Skin Corr. 1B, Acute Tox. 4 - inhalation	H302, H312, H314, H332 - -	STOT SE 3, H335: C ≥ 5%	-

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



Inhalation

Take the victim into fresh air. If symptoms persist, call a physician.

Skin contact

Wash off with soap and water.

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician if necessary.

Information for doctors

Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Immediate effects can be expected after long-term exposure.

Inhalation

May cause throat irritation.

Skin contact

May cause skin irritation.

Eye contact

May cause eye irritation.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product. Ensure adequate ventilation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product.

General hygiene

Wash hands after handling.

When using, do not eat, drink or smoke.

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Keep away from food, drink and animal feeding stuffs.

Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 12 (non-flammable liquids)

Storage temperature: 10 °C to 40 °C

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



7.3. Specific end use(s)

GISCODE: GG50

See section 1.2: Basic cleaner

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure limits

Ingredient	CAS No. EC No.	Exposure limit ppm / mg/m ³	Short-term exposure limit ppm / mg/m ³	Source	Remark	Year
2-(2-butoxyethoxy)ethanol (EU)	112-34-5 203-961-6	10 / 67.5 /	15 / 101.2 /			-
2-aminoethanol (EU)	141-43-5 205-483-3	1 / 2.5 /	3 / 7.6 /			-

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
2-phenoxyethanol (122-99-6/204-589-7)	DNEL	Chronic (long term) Inhalation	5.7 mg/m ³	Workers	Systemic
2-phenoxyethanol (122-99-6/204-589-7)	DNEL	Chronic (long term) Inhalation	5.7 mg/m ³	Workers	Local
2-phenoxyethanol (122-99-6/204-589-7)	DNEL	Chronic (long term) Dermal	20.83 mg/kg bw/day	Workers	Systemic
2-phenoxyethanol (122-99-6/204-589-7)	DNEL	Chronic (long term) Oral	9.23 mg/kg bw/day	Consumers	Systemic
3-butoxypropan-2-ol (5131-66-8/225-878-4)	DNEL	Chronic (long term) Inhalation	147 mg/m ³	Workers	Systemic
3-butoxypropan-2-ol (5131-66-8/225-878-4)	DNEL	Chronic (long term) Dermal	52 mg/kg	Workers	Systemic
3-butoxypropan-2-ol (5131-66-8/225-878-4)	DNEL	Chronic (long term) Oral	12.5 mg/kg	Consumers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-854-6)	DNEL	Chronic (long term) Dermal	136.25 mg/kg	Workers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-854-6)	DNEL	Chronic (long term) Inhalation	26.9 mg/m ³	Workers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-854-6)	DNEL	Chronic (long term) Dermal	0.096 mg/cm ²	Workers	Local
sodium p-cumenesulphonate (15763-76-5/239-854-6)	DNEL	Chronic (long term) Oral	3.8 mg/kg	Consumers	Systemic

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



KLEEN
PURGATIS

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Chronic (long term) Inhalation	67.5 mg/m ³	Workers	Local
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Acute (short term) Inhalation	101.2 mg/m ³	Workers	Local
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Chronic (long term) Oral	6.25 mg/kg	Consumers	Systemic
2-aminoethanol (141-43-5/205-483-3)	DNEL	Chronic (long term) Inhalation	1 mg/m ³	Workers	Systemic
2-aminoethanol (141-43-5/205-483-3)	DNEL	Chronic (long term) Inhalation	510 µg/m ³	Workers	Local
2-aminoethanol (141-43-5/205-483-3)	DNEL	Chronic (long term) Dermal	3 mg/kg	Workers	Systemic
2-aminoethanol (141-43-5/205-483-3)	DNEL	Chronic (long term) Oral	1.5 mg/kg	Consumers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
2-phenoxyethanol (122-99-6/204-589-7)	PNEC	Freshwater	943 µg/l
2-phenoxyethanol (122-99-6/204-589-7)	PNEC	Marine water	94.3 µg/l
2-phenoxyethanol (122-99-6/204-589-7)	PNEC	Sewage Treatment Plant	36 mg/l
2-phenoxyethanol (122-99-6/204-589-7)	PNEC	Sediment (freshwater)	7.237 mg/kg sedi- ment dw
2-phenoxyethanol (122-99-6/204-589-7)	PNEC	Sediment (marine water)	723.7 µg/kg sediment dw
2-phenoxyethanol (122-99-6/204-589-7)	PNEC	Soil	1.31 mg/kg soil dry weight
3-butoxypropan-2-ol (5131-66-8/225-878-4)	PNEC	Freshwater	525 µg/l
3-butoxypropan-2-ol (5131-66-8/225-878-4)	PNEC	Marine water	52.5 µg/l
3-butoxypropan-2-ol (5131-66-8/225-878-4)	PNEC	Sewage Treatment Plant	10 mg/l

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23

KLEEN
PURGATIS

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
3-butoxypropan-2-ol (5131-66-8/225-878-4)	PNEC	Sediment (freshwater)	2.36 mg/kg
3-butoxypropan-2-ol (5131-66-8/225-878-4)	PNEC	Sediment (marine water)	236 µg/kg
3-butoxypropan-2-ol (5131-66-8/225-878-4)	PNEC	Soil	0.16 mg/kg
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Freshwater	0.23 mg/l
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Marine water	0.023 mg/l
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Sewage Treatment Plant	100 mg/kg
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Sediment (freshwater)	0.862 mg/kg
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Soil	0.037 mg/kg
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Freshwater	1.1 mg/l
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Marine water	110 µg/l
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Sediment (freshwater)	4.4 mg/kg
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Sediment (marine water)	440 µg/kg
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Soil	0.32 mg/kg
2-aminoethanol (141-43-5/205-483-3)	PNEC	Freshwater	70 µg/l
2-aminoethanol (141-43-5/205-483-3)	PNEC	Marine water	7 µg/l
2-aminoethanol (141-43-5/205-483-3)	PNEC	Sewage Treatment Plant	100 mg/l
2-aminoethanol (141-43-5/205-483-3)	PNEC	Sediment (freshwater)	357 µg/kg
2-aminoethanol (141-43-5/205-483-3)	PNEC	Sediment (marine water)	35.7 µg/kg
2-aminoethanol (141-43-5/205-483-3)	PNEC	Soil	1.29 mg/kg

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
 Issued: 2025-12-15
 Replaces SDS: 2022-06-23



8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment Symbols



Eye / face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Wear chemical-resistant disposable protective gloves according to EN 374.

Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable

Environmental exposure controls

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Colourless

Odour

characteristic

Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not determined for the mixture.

Boiling point or initial boiling point and boiling range

Not determined for the mixture.

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



Flammability

Not applicable.

Lower and upper explosion limit

The product / mixture has no explosive properties.

Flash point

No data available

Auto-ignition temperature

Not applicable.

Decomposition temperature

Not determined for the mixture.

pH

11

Kinematic viscosity

Not determined for the mixture.

Viscosity, dynamic

Not determined for the mixture.

Solubility

Water soluble

Water solubility

completely miscible

Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not determined for the mixture.

Density and/or relative density

1.007 g/cm³

Relative vapour density

Not determined for the mixture.

Evaporation Rate

Not determined for the mixture.

Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



VOC %

18,7 %

Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components

Acute toxicity

Based on the available data, the classification criteria are not met.

Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
3-butoxy- propan-2-ol 5131-66-8 / 225-878-4	LD50	3.300 mg/kg	Oral	-	rat	-
3-butoxypropan- 2-ol	LD50	>2.000 mg/kg	Skin contact	-	rat	-

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
5131-66-8 / 225-878-4						
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LD50	2.410 mg/kg	Oral	-	mouse	OECD 401
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LD50	2.764 mg/kg	Skin contact	-	rabbit	OECD 402
2-phenoxy- ethanol 122-99-6 / 204-589-7	LD50	1850 mg/kg	Oral	-	rat	-
2-phenoxy- ethanol 122-99-6 / 204-589-7	LD50	> 5000 mg/kg	Dermal	-	rabbit	-
Isotridecanol, ethoxylated 69011-36-5 /	LD50	>2.000 mg/kg	Oral	-	rat	-
2-aminoethanol 141-43-5 / 205-483-3	-	11 mg/l	Inhalative	4 h	-	-
2-aminoethanol 141-43-5 / 205-483-3	-	1.089 mg/kg	Oral	-	-	-
2-aminoethanol 141-43-5 / 205-483-3	-	1.010 mg/kg	Dermal	-	-	-

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes eye irritation.

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity

Toxicology data for the components.

Acute fish toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
3-butoxypropan- 2-ol 5131-66-8 / 225-878-4	LC50	560-1.000 mg/l	96h	Poecilia reticulata	-	-
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LC50	1.300 mg/l	96h	Lepomis macrochirus	OECD 203	-
2-phenoxy- ethanol 122-99-6 / 204-589-7	LC50	> 100 mg/l	96 h	Pimephales promelas (fathead minnow)	-	-
Isotridecanol, ethoxylated 69011-36-5 /	LC50	>1-10 mg/l	96h	Carp	OECD 203	-

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
 Issued: 2025-12-15
 Replaces SDS: 2022-06-23



Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
2-aminoethanol 141-43-5 / 205-483-3	LC50	349 mg/l	96 h	Carp	-	-
2-(2-butoxy-ethoxy)ethanol 112-34-5 / 203-961-6	LC50	>100 mg/l	-	Leuciscus idus	-	-
sodium p-cume- nesulphonate 15763-76-5 / 239-854-6	LC50	>100 mg/l	96 h	Oncorhynchus mykiss	Static test	literature value

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
3-butoxypropan- 2-ol 5131-66-8 / 225-878-4	EC50	>1.000 mg/l	96h	Pseudokirchneri- ella subcapitata	-	-
2-(2-butoxy-ethoxy)ethanol 112-34-5 / 203-961-6	EC50	>100 mg/l	96h	Scenedesmus subspicatus	OECD 201	-
2-phenoxy- ethanol 122-99-6 / 204-589-7	ErC50	> 100 mg/l	72 h	algae	-	-
Isotridecanol, ethoxylated 69011-36-5 /	EC10	0,6mg/l	-	algae	-	-
2-aminoethanol 141-43-5 / 205-483-3	EC50	2,1 mg/l	72 h	Pseudokirchneri- ella subcapitata	-	-
sodium p-cume- nesulphonate 15763-76-5 / 239-854-6	EC50	>100mg/l	96 h	Pseudokirchneri- ella subcapitata	Static test	literature value

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
 Issued: 2025-12-15
 Replaces SDS: 2022-06-23

**Acute crustacean toxicity**

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
Isotridecanol, ethoxylated 69011-36-5 /	EC50	>1-10 mg/l	48h	Daphnia magna (Water flea)	OECD 202	-
2-aminoethanol 141-43-5 / 205-483-3	EC50	27,04 mg/l	48 h	Daphnia magna (Water flea)	-	-
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	EC50	>100 mg/l	48h	Daphnia magna	-	-
sodium p-cume- nesulphonate 15763-76-5 / 239-854-6	EC50	>100 mg/l	48 h	Daphnia magna	Static test	literature value
2-phenoxy- ethanol 122-99-6 / 204-589-7	EC50	> 100 mg/l	48 h	Daphnia magna (Water flea)	-	-
3-butoxypropan- 2-ol 5131-66-8 / 225-878-4	EC50	>1.000 mg/l	48h	Daphnia magna	-	-

Micro-/macro organism toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	EC10	>1995 mg/l	0,5h	Activated sludge	OECD 209
sodium p-cumene- sulphonate 15763-76-5 / 239-854-6	EC10	>1.000 mg/l	3 h	Activated sludge	OECD 209
3-butoxypropan-2-ol 5131-66-8 / 225-878-4	EC50	>1.000 mg/l	3h	Bacteria (activated sludge)	-

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

Other

German Water Class

WGK2 - significantly water endangering

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging : Dispose of as unused product.

Waste code	Waste description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3. Transport hazard class(es)

Label

Not classified as dangerous in the meaning of transport regulations.

14.4. Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5. Environmental hazards

Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6. Special precautions for user

Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

Not classified as dangerous in the meaning of transport regulations.

Other

Not applicable

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: <5% non-ionic surfactants, anionic surfactants.

Regulation (EC) No. 1272/2008 (CLP)

EU Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: No

Substance restrictions according to Annex XVII: No

Substances on the REACH candidate list (SVHC): No

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

Rev. 7: Adjustment of the product formulation (see section 3).

Rev. 8: Adaptation of the hazard and precautionary statements in section 2 in accordance with the current classification for 2-phenoxyethanol.

Abbreviations

ADN - European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



ADR - The European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS - Chemical Abstract Service
CLP - Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
DMEL - Derived Minimum Effect Level
DNEL - Derived No Effect Level
EC50 - Half maximal effective concentration 50%
GHS - Globally Harmonized System of Classification and Labelling of Chemicals
IATA - International Air Transport Association
IMDG - International Maritime Dangerous Goods
LC50 - Lethal concentration 50%
LD50 - Lethal dosis 50 %
MARPOL - International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978. ("Marpol" - marine pollution)
PBT - Persistent, bioaccumulative and toxic substance
PEC - Predicted Environmental Concentration
PNEC - Predicted No Effect Concentration
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals
RID - The regulations concerning the International Carriage of Dangerous Goods by Rail
SVHC - Substance of Very High Concern
vPvB - Very persistent, very bioaccumulative substance

References to key literature and data sources

REACH registration dossiers
ECHA C&L - Inventory
Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:
Health hazards: calculation method

According to Regulation (EC) No 1907/2006

POWER STRIP NEUTRA

Version number: 8.0
Issued: 2025-12-15
Replaces SDS: 2022-06-23



Phrase meaning

Skin Irrit. 2 - Skin irritation, hazard category 2
Eye Dam. 1 - Serious eye damage, hazard category 1
Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4
STOT SE 3 - Specific Target Organ Toxicity — Single exposure, hazard category 3
Eye Irrit. 2 - Eye irritation, hazard category 2
Acute Tox. 4 - dermal - Acute toxicity, dermal, hazard category 4
Skin Corr. 1B - Skin corrosion, hazard category 1B
Acute Tox. 4 - inhalation - Acute toxicity, inhalation, hazard category 4
Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.