

According to Regulation (EC) No 1907/2006

Prestan® HH

Version number: 5.1
Issued: 2026-06-17
Replaces SDS: 2021-09-29



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Prestan® HH

UFI code

PA2U-XRJR-NW05-R5EH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Chlor-alkaline dishes cleaner for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email

info@kleen-purgatis.de

1.4. Emergency telephone number

+49 (0)551 - 19240 (GIZ-Nord)

Available outside office hours

Yes

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
 Issued: 2026-06-17
 Replaces SDS: 2021-09-29



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Hazardous to the aquatic environment — Chronic hazard category 3

Skin corrosion, hazard category 1A

Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation

Hazard statements

H314, H335, H412

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Supplemental hazard statements

EUH031 Contact with acids liberates toxic gas.

Precautionary statements

P260 Do not breathe dust.

P280 Wear protective gloves/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

More information

Hazard components for labeling:
 disodium metasilicate

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
 Issued: 2026-06-17
 Replaces SDS: 2021-09-29



2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Specific concentration limits ATE	Note
disodium metasilicate	6834-92-0 229-912-9 01-2119449811-37-xxxx 014-010-00-8	50 - 70%	Skin Corr. 1B, STOT SE 3	H314, H335 - -		
sodium carbonate	497-19-8 207-838-8 01-2119485498-19-xxxx 011-005-00-2	5 - 20%	Eye Irrit. 2	H319 - -		
troclosene sodium, dihydrate	51580-86-0 220-767-7 01-2119489371-33-xxxx 613-030-01-7	1 - <2%	Acute Tox. 4 - oral, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1, STOT SE 3	H302, H319, H335, H400, H410 - -		

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing . Consult a physician if necessary.

Skin contact

Wash off with soap and water. Remove contaminated clothing and shoes. Call a physician immediately.

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
Issued: 2026-06-17
Replaces SDS: 2021-09-29



Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Get medical attention immediately.

Information for doctors

Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Irritation and / or corrosion of the respiratory tract.

Skin contact

Causes burns.

Eye contact

May cause irreversible eye damage.

Ingestion

If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, dry powder, foam, carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

Other

Other

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
Issued: 2026-06-17
Replaces SDS: 2021-09-29



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Ensure adequate ventilation, especially in confined areas.
Evacuate unaffected personnel from the spill area.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment. Dispose of as hazardous waste in compliance with local and national regulations.

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product. Ensure adequate ventilation, especially in confined areas.

General hygiene

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from food, drink and animal feeding stuffs. Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 8B (non-flammable, corrosive hazardous substances)

Suitable container and packaging materials for safe storage: store in original container.

Storage temperature: 10 °C to 40 °C

7.3. Specific end use(s)

PC35 - Washing and cleaning products (including solvent based products)

See section 1.2: Chlor-alkaline dishes cleaner

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
 Issued: 2026-06-17
 Replaces SDS: 2021-09-29



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
disodium metasilicate (6834-92-0/229-912-9)	DNEL	Chronic (long term) Inhalation	6.22 mg/m ³	Workers	Systemic
disodium metasilicate (6834-92-0/229-912-9)	DNEL	Chronic (long term) Dermal	1.49 mg/kg	Workers	Systemic
disodium metasilicate (6834-92-0/229-912-9)	DNEL	Chronic (long term) Oral	0.74 mg/kg	Consumers	Systemic
sodium carbonate (497-19-8/207-838-8)	DNEL	Chronic (long term) Inhalation	10 mg/m ³	Workers	Local
troclosene sodium, dihydrate (51580-86-0/220-767-7)	DNEL	Chronic (long term) Inhalation	8.11 mg/m ³	Workers	Systemic
troclosene sodium, dihydrate (51580-86-0/220-767-7)	DNEL	Chronic (long term) Dermal	2.3 mg/kg bw/day	Workers	Systemic
troclosene sodium, dihydrate (51580-86-0/220-767-7)	DNEL	Chronic (long term) Oral	1.15 mg/kg bw/day	Consumers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
disodium metasilicate (6834-92-0/229-912-9)	PNEC	Freshwater	7.5 mg/l
disodium metasilicate (6834-92-0/229-912-9)	PNEC	Marine water	1 mg/l
disodium metasilicate (6834-92-0/229-912-9)	PNEC	Sewage Treatment Plant	1 g/l
troclosene sodium, dihydrate (51580-86-0/220-767-7)	PNEC	Freshwater	170 ng/L
troclosene sodium, dihydrate (51580-86-0/220-767-7)	PNEC	Marine water	1.52 mg/l
troclosene sodium, dihydrate (51580-86-0/220-767-7)	PNEC	Sewage Treatment Plant	590 µg/l
troclosene sodium, dihydrate (51580-86-0/220-767-7)	PNEC	Sediment (freshwater)	7.56 mg/kg
troclosene sodium, dihydrate (51580-86-0/220-767-7)	PNEC	Soil	0.756 mg/kg

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
Issued: 2026-06-17
Replaces SDS: 2021-09-29



8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment Symbols



Eye / face protection

Chemical-resistant safety glasses with side protection conforming to EN166.

Hand protection

Chemical-resistant protective gloves (EN 374)

Suitable material: Butyl (butyl rubber) or NBR (nitrile rubber), category III according to EN 374.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Powder

Colour

white

Odour

Characteristic

Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not determined for the mixture.

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
Issued: 2026-06-17
Replaces SDS: 2021-09-29



Boiling point or initial boiling point and boiling range

Not determined for the mixture.

Flammability

Not applicable.

Lower and upper explosion limit

Not applicable.

Flash point

No data available

Auto-ignition temperature

Not determined for the mixture.

Decomposition temperature

Not determined for the mixture.

pH

12

Method

1 % aqueous solution

Kinematic viscosity

Not determined for the mixture.

Viscosity, dynamic

Not determined for the mixture.

Solubility

No data available

Water solubility

Water soluble

Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not determined for the mixture.

Density and/or relative density

1 kg/dm³

Method

Bulk density

Relative vapour density

Not determined for the mixture.

Evaporation Rate

Not determined for the mixture.

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
Issued: 2026-06-17
Replaces SDS: 2021-09-29



Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

VOC (CH)%

< 3 %

Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

None under normal use.

Neutralization can generate a lot of heat.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

Strong acids and oxidizing agents.

10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

By heating or fire toxic gas is liberated.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components

Acute toxicity

Based on the available data, the classification criteria are not met.

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
 Issued: 2026-06-17
 Replaces SDS: 2021-09-29



KLEEN
PURGATIS

Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
disodium metasilicate 6834-92-0 / 229-912-9	LD50	1.150 - 1.350mg/kg 770 - 820 mg/kg	Oral	-	rat mouse	-
sodium carbonate 497-19-8 / 207-838-8	LD50	2.800 mg/kg	Oral	-	rat	-
sodium carbonate 497-19-8 / 207-838-8	LD50	>2.000mg/kg	Dermal	-	rabbit	-
sodium carbonate 497-19-8 / 207-838-8	LC50	2.300 mg/m ³	Inhalativ	2h	rat	-
troclosene sodium, dihydrate 51580-86-0 / 220-767-7	LD50	1671 mg/kg	Oral	-	rat	EPA OPP 81-1
troclosene sodium, dihydrate 51580-86-0 / 220-767-7	LC50	>0,27 mg/l	Inhalation	4h	rat	OECD 403

Skin corrosion/irritation

Skin corrosion, hazard category 1B

Serious eye damage/irritation

Serious eye damage, hazard category 1

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
 Issued: 2026-06-17
 Replaces SDS: 2021-09-29



STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
disodium metasilicate 6834-92-0 / 229-912-9	LC50	210 mg/l	96h	Brachydanio rerio (zebra fish)
sodium carbonate 497-19-8 / 207-838-8	LC50	300 mg/l	96h	Lepomis macrochirus
troclosene sodium, dihydrate 51580-86-0 / 220-767-7	LC50	0,23 mg/l	96h	Lepomis macrochirus

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
disodium metasilicate 6834-92-0 / 229-912-9	EC50	207 mg/l	72h	Chlorella pyrenoidosa (Alge)

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
 Issued: 2026-06-17
 Replaces SDS: 2021-09-29



Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
troclosene sodium, dihydrate 51580-86-0 / 220-767-7	EC50	0,21 mg/l	48h	Daphnia magna (Water flea)
disodium metasilicate 6834-92-0 / 229-912-9	EC50	1.700 mg/l	48h	Daphnia magna (Water flea)
sodium carbonate 497-19-8 / 207-838-8	EC50	200-227 mg/l	48h	Ceriodaphnia dubia

Micro-/macro organism toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
disodium metasilicate 6834-92-0 / 229-912-9	EC50	>100 mg/l	3h	Bacteria (activated sludge)	-
troclosene sodium, dihydrate 51580-86-0 / 220-767-7	EC50	51 mg/l	3h	Bacteria	OECD 209

12.2. Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

Decay/transformation

No information available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

Mobility

No information available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
Issued: 2026-06-17
Replaces SDS: 2021-09-29



12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

Other

German Water Class

WGK1 - slightly water endangering

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Waste disposal accordance with applicable local/regional/national/international regulations.

Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging: Dispose of as unused product.

Waste code	Waste description
07 06 99	wastes not otherwise specified

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

UN 3253

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

3253 - DISODIUM TRIOXOSILICATE

IMDG proper shipping name

DISODIUM TRIOXOSILICATE

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
Issued: 2026-06-17
Replaces SDS: 2021-09-29



14.3. Transport hazard class(es)

Label

ADR/RID/ADN



8

ADR / RID Class

8

ADR / RID Classification code

C6

ADR / RID hazard identification number

80

IMDG Class

8

IATA Class

8

ADN Class

8

ADN Class Code

C6

14.4. Packing group

III

14.5. Environmental hazards

Environmental hazards

The product contains following substances which are hazardous for the environment:
troclosene sodium, dihydrate

IMDG Marine Pollutant

No

14.6. Special precautions for user

Special precautions for user

The usual precautionary measures when handling chemicals must be observed.

IMDG EmS

F-A, S-B

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
 Issued: 2026-06-17
 Replaces SDS: 2021-09-29



14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other

Additional information ADR-RID

LQ: 5kg

EQ: E1

Transport category (tunnel restriction code): 3 (E)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: < 5 % non-ionic surfactants, chlorine-based bleaching agents, 15-30 % phosphates.

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: No

Substance restrictions according to Annex XVII: No

Substances on the REACH candidate list (SVHC): No

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
 Issued: 2026-06-17
 Replaces SDS: 2021-09-29



SECTION 16: Other information

Changes to previous revision

General update without changes.

Abbreviations

ADN - European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
 ADR - The European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE - Acute Toxicity Estimate
 BCF - Bioconcentration Factor
 CAS - Chemical Abstracts Service
 CE - Conformité Européenne (European conformity)
 CLP - Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 CSA - Chemical Safety Assessment
 CSR - Chemical Safety Report
 DMEL - Derived Minimal Effect Level
 DNEL - Derived No Effect Level
 EINECS - European Inventory of Existing Commercial chemical Substances
 ES - Exposure Scenario
 EUH statement - CLP-specific Hazard statement
 EuPCS - European Product Categorisation System
 EWC - European Waste Catalogue
 GHS - Globally Harmonized System of Classification and Labelling of Chemicals
 GWP - Global warming potential
 IARC - International Agency for Research on Cancer (IARC)
 IATA - International Air Transport Association
 IBC - Intermediate Bulk Container
 IMDG - International Maritime Dangerous Goods
 LogPow - logarithm of the octanol/water partition coefficient
 MARPOL - International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" - marine pollution)
 OECD - Organisation for Economic Co-operation and Development
 PBT - Persistent, Bioaccumulative and Toxic
 PNEC - Predicted No Effect Concentration
 RID - The Regulations concerning the International Carriage of Dangerous Goods by Rail
 RRN - REACH Registration Number
 SCL - A specific concentration limit
 STOT-RE - Specific Target Organ Toxicity - Repeated Exposure
 STOT-SE - Specific Target Organ Toxicity - Single Exposure
 SVHC - Substances of Very High Concern
 TWA - Time weighted average
 UN - United Nations
 UVBC - Unknown or variable composition, complex reaction products or of biological materials
 VOC - Volatile Organic Compound
 vPvB - Very Persistent and Very Bioaccumulative

According to Regulation (EC) No 1907/2006

Prestan HH

Version number: 5.1
Issued: 2026-06-17
Replaces SDS: 2021-09-29



References to key literature and data sources

REACH registration dossiers
ECHA C&L - Inventory
Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:
Health hazards: calculation method
Environmental hazards: calculation method

Phrase meaning

Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3
Skin Corr. 1A - Skin corrosion, hazard category 1A
STOT SE 3 - resp. tract irrit. - Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation
Skin Corr. 1B - Skin corrosion, hazard category 1B
STOT SE 3 - Specific Target Organ Toxicity — Single exposure, hazard category 3
Eye Irrit. 2 - Eye irritation, hazard category 2
Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4
Aquatic Acute 1 - Hazardous to the aquatic environment — Acute hazard category 1
Aquatic Chronic 1 - Hazardous to the aquatic environment — Chronic hazard category 1
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH031 Contact with acids liberates toxic gas.

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.