

According to Regulation (EC) No 1907/2006

PRESTAN® SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

PRESTAN® SLK

UFI code

2YX8-DX09-TT0N-8FMQ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Dish detergent for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email

info@kleen-purgatis.de

1.4. Emergency telephone number

+49 (0)551 - 19240 (GIZ-Nord)

Available outside office hours

Yes

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Skin corrosion, hazard category 1

Serious eye damage, hazard category 1

Hazard statements

H314, H318

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P280 Wear protective gloves/eye protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

More information

Hazard components for labeling:

sodium hydroxide

potassium hydroxide

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
 Issued: 2026-07-20
 Replaces SDS: 2021-12-27



SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrases M factor acute M factor chronic	Specific concentration limits ATE	Note
potassium hydroxide	1310-58-3 215-181-3 01-2119487136-33-xxxx 019-002-00-8	10 - 20%	Acute Tox. 4 - oral, Skin Corr. 1A	H302, H314 - -	Skin Corr. 1A, H314: C ≥ 5% Skin Corr. 1B, H314: 2% ≤ C < 5% Skin Irrit. 2, H315: 0.5% ≤ C < 2% Eye Irrit. 2, H319: 0.5% ≤ C < 2%	-
sodium hydroxide	1310-73-2 215-185-5 01-2119457892-27-xxxx 011-002-00-6	10 - 20%	Skin Corr. 1A	H314 - -	Skin Corr. 1A, H314: C ≥ 5% Skin Corr. 1B, H314: 2% ≤ C < 5% Skin Irrit. 2, H315: 0.5% ≤ C < 2% Eye Irrit. 2, H319: 0.5% ≤ C < 2%	-
fatty alcohol alkoxylate	111190-40-0 - 02-2119548491-37-xxxx -	0.1 - <1%	Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 3	H318, H400, H412 - -		-

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

Inhalation

If breathed in, move person into fresh air. Consult a physician if necessary.

Skin contact

Call a physician immediately. Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



Ingestion

If swallowed, DO NOT induce vomiting. Immediately give large quantities of water to drink. Get medical attention.

Information for doctors

Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Not applicable.

Skin contact

Blistering / itching.

Eye contact

Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

Ingestion

If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. water spray, extinguishing powder, foam or carbon dioxide .

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Corrosive Material

By heating or fire toxic gas is liberated.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Ensure adequate ventilation, especially in confined areas.
Evacuate unaffected personnel from the spill area.

6.2. Environmental precautions

Dam up. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Use neutralizing agents.

6.4. Reference to other sections

For information on storage and handling see section 7.
For information on exposure and personal protective equipment, see Section 8.
For information on incompatible materials, see Section 10.
For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product. Ensure adequate ventilation, especially in confined areas.

General hygiene

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from food, drink and animal feeding stuffs. Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 8B (non-flammable, corrosive hazardous substances)

Store in original container. Storage temperature: 10 °C to 40 °C

7.3. Specific end use(s)

PC35 - Washing and cleaning products (including solvent based products)
See section 1.2: Dish detergent

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
potassium hydroxide (1310-58-3/215-181-3)	DNEL	Chronic (long term) Inhalation	1 mg/kg	Workers	Local
potassium hydroxide (1310-58-3/215-181-3)	DNEL	Chronic (long term) Inhalation	1 mg/kg	Consumers	Local
sodium hydroxide (1310-73-2/215-185-5)	DNEL	Chronic (long term) Inhalation	1 mg/m ³	Workers	Local
sodium hydroxide (1310-73-2/215-185-5)	DNEL	Chronic (long term) Inhalation	1 mg/m ³	Consumers	Local

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Eye / face protection

Chemical-resistant safety glasses with side protection conforming to EN166.

Hand protection

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. The exact break through time can be obtained from the protective glove producer and this has to be observed.

Other skin protection

Not applicable .

Respiratory protection

No personal respiratory protective equipment normally required. Breathing apparatus needed only when aerosol or mist is formed.

Thermal hazards

Not applicable

Environmental exposure controls

The product should not be allowed to enter drains, water courses or the soil.

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

light yellow

Odour

odourless

Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not determined for the mixture.

Boiling point or initial boiling point and boiling range

Not determined for the mixture.

Flammability

Not applicable.

Lower and upper explosion limit

Not applicable.

Flash point

No data available

Auto-ignition temperature

Not determined for the mixture.

Decomposition temperature

Not determined for the mixture.

pH

14

Kinematic viscosity

Not determined for the mixture.

Viscosity, dynamic

Not determined for the mixture.

Solubility

No data available

Water solubility

miscible

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not determined for the mixture.

Density and/or relative density

1.36 g/cm³

Relative vapour density

Not determined for the mixture.

Evaporation Rate

Not determined for the mixture.

Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

VOC %

< 3 %

Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

Acids. Corrodes base metals.

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

By heating or fire toxic gas is liberated. Release of hydrogen (H₂).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components

Acute toxicity

Based on the available data, the classification criteria are not met.

Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Test animals	Remarks
potassium hydroxide 1310-58-3 / 215-181-3	LD50	333-388 mg/kg	Oral	rat	ECHA
fatty alcohol alkoxylate 111190-40-0 /	LD50	>2.000 - 5.000 mg/kg	Oral	rat	-

Skin corrosion/irritation

Skin corrosion, hazard category 1A

Causes severe skin burns.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Endpoint of the test	Species
fatty alcohol alkoxylate 111190-40-0 /	LC50	<1 mg/l	96h	-	Leuciscus idus
potassium hydroxide 1310-58-3 / 215-181-3	LC50	= 50 - = 165 mg/L	-	Mortality	Fish
sodium hydroxide 1310-73-2 / 215-185-5	LC50	= 35 - = 189 mg/L	-	Mortality	Fish

Acute algae toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
fatty alcohol alkoxylate 111190-40-0 /	EC50	<1 mg/l	72h	Scenedesmus subspicatus	OECD 201

Acute crustacean toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Remark
sodium hydroxide 1310-73-2 / 215-185-5	EC50	40,4 mg/l	48 h	Ceriodaphnia dubia	ECHA
fatty alcohol alkoxylate	EC50	<1 mg/l	48h	Daphnia magna	-

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
 Issued: 2026-07-20
 Replaces SDS: 2021-12-27



Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Remark
111190-40-0 /					

12.2. Persistence and degradability

No information available

Decay/transformation

No information available

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

Mobility

No information available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

Other

German Water Class

WGK1 - slightly water endangering

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Waste disposal accordance with applicable local/regional/national/international regulations.

Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging : Dispose of as unused product.

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27

KLEEN
PURGATIS

Waste code	Waste description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

UN 1719

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, potassium hydroxide, aqueous solution)

IMDG proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide, Potassium hydroxide, aqueous solution)

14.3. Transport hazard class(es)

Label

ADR/RID/ADN



8

ADR / RID Class

8

ADR / RID Classification code

C5

ADR / RID hazard identification number

80

IMDG Class

8

IATA Class

8

ADN Class

8

ADN Class Code

C5

14.4. Packing group

II

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



14.5. Environmental hazards

Environmental hazards

The product contains following substances which are hazardous for the environment:
fatty alcohol ethoxylate

IMDG Marine Pollutant

No

14.6. Special precautions for user

Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

IMDG EmS

F-A, S-B

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other

Additional information ADR-RID

LQ: 1L

EQ: E2

Transport category (tunnel restriction code): 2 (E)

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: < 5 % polycarboxylates, amphoteric surfactants, non-ionic surfactants, phosphonates.

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: not applicable

Substance restrictions according to Annex XVII: not applicable

Substances on the REACH candidate list (SVHC): not applicable

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

General update without changes.

Abbreviations

ADN - European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR - The European Agreement concerning the International Carriage of Dangerous Goods by

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
 Issued: 2026-07-20
 Replaces SDS: 2021-12-27



Road

ATE - Acute Toxicity Estimate

BCF - Bioconcentration Factor

CAS - Chemical Abstracts Service

CE - Conformité Européenne (European conformity)

CLP - Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA - Chemical Safety Assessment

CSR - Chemical Safety Report

DMEL - Derived Minimal Effect Level

DNEL - Derived No Effect Level

EINECS - European Inventory of Existing Commercial chemical Substances

ES - Exposure Scenario

EUH statement - CLP-specific Hazard statement

EuPCS - European Product Categorisation System

EWG - European Waste Catalogue

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

GWP - Global warming potential

IARC - International Agency for Research on Cancer (IARC)

IATA - International Air Transport Association

IBC - Intermediate Bulk Container

IMDG - International Maritime Dangerous Goods

LogPow - logarithm of the octanol/water partition coefficient

MARPOL - International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" - marine pollution)

OECD - Organisation for Economic Co-operation and Development

PBT - Persistent, Bioaccumulative and Toxic

PNEC - Predicted No Effect Concentration

RID - The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN - REACH Registration Number

SCL - A specific concentration limit

STOT-RE - Specific Target Organ Toxicity - Repeated Exposure

STOT-SE - Specific Target Organ Toxicity - Single Exposure

SVHC - Substances of Very High Concern

TWA - Time weighted average

UN - United Nations

UVBC - Unknown or variable composition, complex reaction products or of biological materials

VOC - Volatile Organic Compound

vPvB - Very Persistent and Very Bioaccumulative

References to key literature and data sources

REACH registration dossiers

ECHA C&L - Inventory

Safety data sheets from raw material suppliers

According to Regulation (EC) No 1907/2006

PRESTAN SLK

Version number: 6.1
Issued: 2026-07-20
Replaces SDS: 2021-12-27



Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC)

1272/2008 [CLP]:

Health hazards: calculation method

Environmental hazards: calculation method

Phrase meaning

Skin Corr. 1 - Skin corrosion, hazard category 1

Eye Dam. 1 - Serious eye damage, hazard category 1

Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4

Skin Corr. 1A - Skin corrosion, hazard category 1A

Aquatic Acute 1 - Hazardous to the aquatic environment — Acute hazard category 1

Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.