

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Purina Multi Kleen Tab Pro

**UFI code**

4N03-JN8D-D073-TVVM

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**

Tab-Concentrate for Kitchen Cleaning for professional users.

**Not suitable for use in**

All other uses are discouraged.

### 1.3. Details of the supplier of the safety data sheet

**Supplier**

KLEEN PURGATIS GmbH

Street address

Dieselstraße 10

32120 Hiddenhausen

Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Fax

+49 (0) 5223 9970-195

Web site

www.kleenpurgatis.de

**Contact person**

Regulatory Affairs

**Email address**

info@kleen-purgatis.de

### 1.4. Emergency telephone number

+49 (0)551 - 19240 (GIZ-Nord)

**Available outside office hours**

Yes

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28



## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

#### Classification

Eye irritation, hazard category 2

Skin irritation, hazard category 2

Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation

#### Hazard statements

H315, H319, H335

#### Supplemental hazard statements

EUH208

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

#### Hazard pictograms



#### Signal word

Warning

#### Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

#### Supplemental hazard statements

EUH208 Contains 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P264 Wash hands thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### More information

Hazard components for labeling: citric acid

### 2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28

KLEEN  
PURGATIS

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| Chemical name                                                              | CAS No.<br>EC No.<br>REACH No.<br>Index No.                     | Concentration | Classification                                      | H-phrase<br>M factor acute<br>M factor chronic | Note |
|----------------------------------------------------------------------------|-----------------------------------------------------------------|---------------|-----------------------------------------------------|------------------------------------------------|------|
| sodium carbonate                                                           | 497-19-8<br>207-838-8<br>01-2119485498-19-xxxx<br>011-005-00-2  | 50 - 70%      | Eye Irrit. 2                                        | H319<br>-<br>-                                 | -    |
| citric acid                                                                | 77-92-9<br>201-069-1<br>01-2119457026-42-xxxx<br>-              | 20 - 30%      | Eye Irrit. 2, STOT<br>SE 3 - resp. tract<br>irrit.  | H319, H335<br>-<br>-                           | -    |
| oxirane, methyl-, polymer with<br>oxirane, monoisotridecyl<br>ether, block | 196823-11-7<br>677-779-4<br>-<br>-                              | 1 - <5%       | Eye Irrit. 2                                        | H319<br>-<br>-                                 | -    |
| disodium metasilicate                                                      | 6834-92-0<br>229-912-9<br>01-2119449811-37-xxxx<br>014-010-00-8 | 1 - <3%       | Skin Corr. 1B,<br>STOT SE 3 -<br>resp. tract irrit. | H314, H335<br>-<br>-                           | -    |

#### Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Description of first aid measures

First responders: Pay attention to self-protection.

#### Inhalation

Not applicable.

#### Skin contact

Wash off with soap and water. In the case of skin irritation or allergic reactions see a physician.

#### Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28



## **Ingestion**

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Consult a physician if necessary.

## **Information for doctors**

Show this safety data sheet to the doctor in attendance.

### **4.2. Most important symptoms and effects, both acute and delayed**

Immediate effects can be expected after long-term exposure.

## **Inhalation**

Not applicable.

## **Skin contact**

Skin irritation

## **Eye contact**

Eye irritation

## **Ingestion**

Stomach/intestinal disorders

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Foam, carbon dioxide, dry powder or water fog.

#### **Unsuitable extinguishing media**

Do not use a solid water stream as it may scatter and spread fire.

### **5.2. Special hazards arising from the substance or mixture**

Hazardous decomposition products formed under fire conditions.

### **5.3. Advice for firefighters**

#### **Special protective equipment for fire-fighters**

In the event of fire, wear self contained breathing apparatus.

#### **Measures in case of fire**

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protective equipment. Avoid direct contact with the material / product.

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28



## 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

## 6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment. Dispose of as hazardous waste in compliance with local and national regulations.

## 6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product.

#### General hygiene

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from children. Store in a place accessible by authorized persons only. Keep away from food, drink and animal feeding stuffs. Keep in a dry, cool place.

Storage class according to TRGS 510: 13 (non-combustible solids)

Store in original container.

Storage temperature: 10°C to 40°C

### 7.3. Specific end use(s)

GISCODE: GU70

See section 1.2: Tab-Concentrate for Kitchen Cleaning

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28



## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL

| Product/Substance name<br>(CAS No./EC No.)     | Type | Exposure                          | Value                  | Population | Effects  |
|------------------------------------------------|------|-----------------------------------|------------------------|------------|----------|
| sodium carbonate<br>(497-19-8/207-838-8)       | DNEL | Chronic (long term)<br>Inhalation | 10 mg/m <sup>3</sup>   | Workers    | Local    |
| sodium carbonate<br>(497-19-8/207-838-8)       | DNEL | Chronic (long term)<br>Inhalation | 5 mg/m <sup>3</sup>    | Consumers  | Local    |
| disodium metasilicate<br>(6834-92-0/229-912-9) | DNEL | Chronic (long term)<br>Inhalation | 6.22 mg/m <sup>3</sup> | Workers    | Systemic |
| disodium metasilicate<br>(6834-92-0/229-912-9) | DNEL | Chronic (long term)<br>Dermal     | 1.49 mg/kg             | Workers    | Systemic |
| disodium metasilicate<br>(6834-92-0/229-912-9) | DNEL | Chronic (long term)<br>Inhalation | 1.55 mg/m <sup>3</sup> | Consumers  | Systemic |
| disodium metasilicate<br>(6834-92-0/229-912-9) | DNEL | Chronic (long term)<br>Dermal     | 740 µg/kg bw/day       | Consumers  | Systemic |
| disodium metasilicate<br>(6834-92-0/229-912-9) | DNEL | Chronic (long term)<br>Oral       | 740 µg/kg bw/day       | Consumers  | Systemic |

#### PNEC/PEC

| Product/Substance name<br>(CAS No./EC No.)     | Type | Environmental compartment          | Value      |
|------------------------------------------------|------|------------------------------------|------------|
| citric acid<br>(77-92-9/201-069-1)             | PNEC | Freshwater                         | 0.44 mg/l  |
| citric acid<br>(77-92-9/201-069-1)             | PNEC | Marine water                       | 0.044 mg/l |
| citric acid<br>(77-92-9/201-069-1)             | PNEC | Sewage Treatment Plant             | 1000 mg/l  |
| citric acid<br>(77-92-9/201-069-1)             | PNEC | Sediment (freshwater)              | 34.6 mg/kg |
| citric acid<br>(77-92-9/201-069-1)             | PNEC | Sediment (marine water)            | 3.46 mg/kg |
| citric acid<br>(77-92-9/201-069-1)             | PNEC | Soil                               | 33.1 mg/kg |
| disodium metasilicate<br>(6834-92-0/229-912-9) | PNEC | Freshwater                         | 7.5 mg/l   |
| disodium metasilicate<br>(6834-92-0/229-912-9) | PNEC | Intermittent releases (freshwater) | 7.5 mg/l   |

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28

KLEEN  
PURGATIS

| Product/Substance name<br>(CAS No./EC No.)     | Type | Environmental compartment | Value  |
|------------------------------------------------|------|---------------------------|--------|
| disodium metasilicate<br>(6834-92-0/229-912-9) | PNEC | Marine water              | 1 mg/l |
| disodium metasilicate<br>(6834-92-0/229-912-9) | PNEC | Sewage Treatment Plant    | 1 g/l  |

## 8.2. Exposure controls

### Appropriate engineering controls

Not required.

### Eye / face protection

Chemical-resistant safety glasses with side protection conforming to EN166.

### Hand protection

Chemical-resistant protective gloves (EN 374)

### Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

### Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

### Thermal hazards

Not applicable.

### Environmental exposure controls

No special environmental precautions required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Tablet

#### Colour

Yellow

#### Odour

Fresh scent

#### Odour threshold

Not determined for the mixture.

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28



## **Melting point / freezing point**

Not applicable.

## **Boiling point or initial boiling point and boiling range**

Not applicable.

## **Flammability**

Not applicable.

## **Lower and upper explosion limit**

The product / mixture has no explosive properties.

## **Flash point**

No data available

## **Auto-ignition temperature**

Not applicable.

## **Decomposition temperature**

Not determined for the mixture.

## **pH**

10

## **Method**

1 % aqueous solution

## **Kinematic viscosity**

Not applicable.

## **Viscosity, dynamic**

Not applicable.

## **Solubility**

Water soluble

## **Water solubility**

completely soluble

## **Partition coefficient n-octanol/water**

Not determined for the mixture.

## **Vapour pressure**

Not applicable.

## **Density and/or relative density**

Not determined for the mixture.

## **Relative density**

Not determined for the mixture.

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28



## Relative vapour density

Not applicable.

## Evaporation Rate

Not applicable.

## Explosive properties

The product / mixture has no explosive properties.

## Oxidising properties

The product / mixture has no oxidizing properties.

## VOC %

< 3 %

## Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

## 9.2. Other information

Conductivity : 6,7 mS/cm 1 % aqueous solution

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal use.

### 10.2. Chemical stability

Stable at normal conditions

### 10.3. Possibility of hazardous reactions

None under normal use.

### 10.4. Conditions to avoid

Protect from moisture.

Protect from frost.

### 10.5. Incompatible materials

Oxidizing agent, strong acids and strong bases

### 10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

Hazardous decomposition products formed under fire conditions.

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28

KLEEN  
PURGATIS

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on the available data, the classification criteria are not met.

Toxicology data for the components :

| Product /<br>Substance<br>name<br>CAS / EC no.                                                                          | Dose<br>descriptor | Value / Dose                                | Exposure<br>route | Duration of<br>exposure | Test animals | Method /<br>Guideline | Remarks |
|-------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------|-------------------|-------------------------|--------------|-----------------------|---------|
| citric acid<br>77-92-9 / 201-<br>069-1                                                                                  | LD50               | 5.400 mg/kg                                 | Oral              | -                       | mouse        | OECD 401              | ECHA    |
| citric acid<br>77-92-9 / 201-<br>069-1                                                                                  | LD50               | >2.000 mg/kg                                | Dermal            | -                       | rat          | OECD 402              | ECHA    |
| sodium car-<br>bonate<br>497-19-8 /<br>207-838-8                                                                        | LD50               | 2.800 mg/kg                                 | Oral              | -                       | rat          | -                     | -       |
| sodium car-<br>bonate<br>497-19-8 /<br>207-838-8                                                                        | LD50               | >2.000mg/kg                                 | Dermal            | -                       | rabbit       | -                     | -       |
| sodium car-<br>bonate<br>497-19-8 /<br>207-838-8                                                                        | LC50               | 2.300 mg/m <sup>3</sup>                     | Inhalativ         | 2h                      | rat          | -                     | -       |
| oxirane,<br>methyl-, poly-<br>mer with oxi-<br>rane, monoiso-<br>tridecyl ether,<br>block<br>196823-11-7 /<br>677-779-4 | LD50               | > 2.000 mg/kg                               | Oral              | -                       | rat          | OECD 423              | -       |
| disodium<br>metasilicate<br>6834-92-0 /<br>229-912-9                                                                    | LD50               | 1.150 -<br>1.350mg/kg<br>770 - 820<br>mg/kg | Oral              | -                       | rat<br>mouse | -                     | -       |

#### Skin corrosion/irritation

Skin irritation, hazard category 2

Causes skin irritation.

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28



## **Serious eye damage/irritation**

Eye irritation, hazard category 2

Causes serious eye irritation.

## **Respiratory or skin sensitisation**

Based on the available data, the classification criteria are not met.

## **Germ cell mutagenicity**

Based on the available data, the classification criteria are not met.

## **Genotoxicity**

Based on the available data, the classification criteria are not met.

## **Carcinogenicity**

Based on the available data, the classification criteria are not met.

## **Reproductive toxicity**

Based on the available data, the classification criteria are not met.

## **STOT-single exposure**

Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation  
May cause respiratory irritation.

## **STOT-repeated exposure**

Based on the available data, the classification criteria are not met.

## **Aspiration hazard**

Based on the available data, the classification criteria are not met.

## **11.2. Information on other hazards**

### **Endocrine disrupting properties**

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

#### **Acute fish toxicity**

| Product / Substance name<br>CAS / EC no.           | Measurement type | Value / Result | Duration of exposure | Species           | Method / Guideline | Remark |
|----------------------------------------------------|------------------|----------------|----------------------|-------------------|--------------------|--------|
| disodium meta-silicate<br>6834-92-0 /<br>229-912-9 | LC50             | 210 mg/l       | 96h                  | Brachydanio rerio | -                  | -      |
| citric acid                                        | LC50             | 440 mg/l       | 48 h                 | Leuciscus idus    | OECD 203           | ECHA   |

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28

KLEEN  
PURGATIS

| Product / Substance name<br>CAS / EC no.                                                            | Measurement type | Value / Result | Duration of exposure | Species             | Method / Guideline | Remark |
|-----------------------------------------------------------------------------------------------------|------------------|----------------|----------------------|---------------------|--------------------|--------|
| 77-92-9 /<br>201-069-1                                                                              |                  |                |                      |                     |                    |        |
| sodium carbonate<br>497-19-8 /<br>207-838-8                                                         | LC50             | 300 mg/l       | 96h                  | Lepomis macrochirus | -                  | -      |
| oxirane, methyl-, polymer with oxirane, mono-isotridecyl ether, block<br>196823-11-7 /<br>677-779-4 | LC50             | >1 - 10 mg/l   | 96h                  | Brachydanio rerio   | OECD 203           | -      |

## Acute algae toxicity

| Product / Substance name<br>CAS / EC no.       | Measurement type | Value / Result | Duration of exposure | Species               |
|------------------------------------------------|------------------|----------------|----------------------|-----------------------|
| disodium metasilicate<br>6834-92-0 / 229-912-9 | EC50             | 207 mg/l       | 72h                  | Chlorella pyrenoidosa |

## Acute crustacean toxicity

| Product / Substance name<br>CAS / EC no.          | Measurement type | Value / Result | Duration of exposure | Species            | Remark |
|---------------------------------------------------|------------------|----------------|----------------------|--------------------|--------|
| citric acid<br>77-92-9 / 201-069-1                | LC50             | 1.535 mg/l     | 24 h                 | Daphnia magna      | ECHA   |
| sodium carbonate<br>497-19-8 /<br>207-838-8       | EC50             | 200-227 mg/l   | 48h                  | Ceriodaphnia dubia | -      |
| disodium metasilicate<br>6834-92-0 /<br>229-912-9 | EC50             | 1.700 mg/l     | 48h                  | Daphnia magna      | -      |

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28



## Micro-/macro organism toxicity

| Product / Sub-<br>stance name<br>CAS / EC no.                                                            | Measurement type | Value / Result | Duration of<br>exposure | Species                        | Method / Guideline |
|----------------------------------------------------------------------------------------------------------|------------------|----------------|-------------------------|--------------------------------|--------------------|
| oxirane, methyl-,<br>polymer with oxirane,<br>monoisotridecyl ether, block<br>196823-11-7 /<br>677-779-4 | EC20             | >10 - 100 mg/l | 30 min                  | Activated sludge               | OECD 209           |
| disodium meta-silicate<br>6834-92-0 /<br>229-912-9                                                       | EC50             | >100 mg/l      | 3h                      | Bacteria (activated<br>sludge) | -                  |

### 12.2. Persistence and degradability

#### Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

### 12.3. Bioaccumulative potential

#### Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

#### Mobility

No information available

### 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

### 12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

### 12.7. Other adverse effects

#### Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28



## Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging : Dispose of as unused product.

| Waste code | Waste description                          |
|------------|--------------------------------------------|
| 20 01 29*  | detergents containing hazardous substances |

Please note - an asterisk (\*) next to a code denotes that it is HAZARDOUS WASTE.

## SECTION 14: Transport information

### 14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

### 14.2. UN proper shipping name

#### ADR / RID / ADN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

### 14.3. Transport hazard class(es)

#### Label

Not classified as dangerous in the meaning of transport regulations.

### 14.4. Packing group

Not classified as dangerous in the meaning of transport regulations.

### 14.5. Environmental hazards

#### Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

### 14.6. Special precautions for user

#### Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

### 14.7. Maritime transport in bulk according to IMO instruments

Not classified as dangerous in the meaning of transport regulations.

### Other

Not applicable

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
Issued: 2023-06-23  
Replaces SDS: 2023-04-28



## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: < 5% non-ionic surfactants, phosphonates, polycarboxylates, contains perfumes, preservation agents, METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE.

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: not applicable

Substance restrictions according to Annex XVII: not applicable

Substances on the REACH candidate list (SVHC): not applicable

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

#### National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

### 15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

## SECTION 16: Other information

#### Changes to previous revision

Adjustment of the product formulation (see section 3).

Classification and labelling

#### Abbreviations

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR - Accord relatif au transport international des marchandises Dangereuses par Route

According to Regulation (EC) No 1907/2006

# Purina Multi Kleen Tab Pro

Version number: 3.0  
 Issued: 2023-06-23  
 Replaces SDS: 2023-04-28



CAS - Chemical Abstract Service  
 CLP - Classification, Labelling and Packaging  
 DMEL - Derived Minimum Effect Level  
 DNEL - Derived no effect level  
 EC50 - Half maximal effective concentration 50%  
 GHS - Globally Harmonised System  
 IATA - International Air Transport Association  
 IMDG - International Maritime Dangerous Goods  
 LC50 - Lethal concentration 50%  
 LD50 - Lethal dosis 50 %  
 MARPOL - International Convention for the Prevention of Pollution from Ships  
 PBT - Persistent, bioaccumulative and toxic substance  
 PEC - Predicted Environmental Concentration  
 PNEC - predicted no effect concentration  
 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals  
 RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses  
 SVHC - Substance of very high concern  
 vPvB - Very persistent, very bioaccumulative substance

## **References to key literature and data sources**

REACH registration dossiers  
 ECHA C&L - Inventory  
 Safety data sheets from raw material suppliers

## **Evaluation methods for classification**

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:  
 Health hazards: calculation method

## **Phrase meaning**

Skin Irrit. 2 - Skin irritation, hazard category 2  
 Eye Irrit. 2 - Eye irritation, hazard category 2  
 STOT SE 3 - resp. tract irrit. - Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation  
 Skin Corr. 1B - Skin corrosion, hazard category 1B  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 EUH208 Contains 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

## **Additional information**

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

## **Manufacturer's notes**

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.