

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



KLEEN
PURGATIS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

ULTRA GLASREIN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Glass and plastic cleaner for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email

info@kleen-purgatis.de

1.4. Emergency telephone number

+49 (0) 551 - 19240 (GIZ-Nord)

Available outside office hours

Yes

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous according to Regulation (EC) No 1272/2008.

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



2.2. Label elements

The product does not require labelling in accordance with CLP Regulation (EC) No 1272/2008.

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrases M factor acute M factor chronic	Specific concentration limits ATE	Note
ethanol	64-17-5 200-578-6 01-2119457610-43-xxxx 603-002-00-5	5 - 10%	Flam. Liq. 2	H225 - -		-
2-(2-butoxyethoxy) ethanol	112-34-5 203-961-6 01-2119475104-44-xxxx 603-096-00-8	1 - 5%	Eye Irrit. 2	H319 - -		-

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

Inhalation

Take the victim into fresh air. If symptoms persist, call a physician.

Skin contact

Wash off with soap and water. In the case of skin irritation or allergic reactions see a physician.

Eye contact

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Consult a physician if necessary.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Consult a physician if necessary.

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



Information for doctors

Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Immediate effects can be expected after long-term exposure.

Inhalation

May cause respiratory irritation.

Skin contact

May cause skin irritation.

Eye contact

May cause eye irritation.

Ingestion

Ingestion may cause stomach irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, dry powder, foam, carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product. Ensure adequate ventilation.

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product. Ensure adequate ventilation, especially in confined areas.

General hygiene

Wash hands after handling.

When using, do not eat, drink or smoke.

The usual precautionary measures when handling chemicals must be observed.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and animal feeding stuffs. Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 10 (flammable liquids)

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container.

Storage temperature: 10 °C to 40 °C

7.3. Specific end use(s)

GISCODE: GGL05

See section 1.2: Glass and plastic cleaner

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure limits

Ingredient	CAS No. EC No.	Exposure limit ppm / mg/m³	Short-term exposure limit ppm / mg/m³	Source	Remark	Year
2-(2-butoxyethoxy)ethanol (EU)	112-34-5 203-961-6	10 / 67.5	15 / 101.2			-

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Inhalation	950 mg/m³	Workers	Systemic
ethanol (64-17-5/200-578-6)	DNEL	Acute (short term) Inhalation	1900 mg/m³	Workers	Local
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Dermal	343 mg/kg	Workers	Systemic
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Oral	87 mg/kg	Consumers	Systemic
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Chronic (long term) Inhalation	67.5 mg/m³	Workers	Local
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Acute (short term) Inhalation	101.2 mg/m³	Workers	Local
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Chronic (long term) Oral	6.25 mg/kg	Consumers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
ethanol (64-17-5/200-578-6)	PNEC	Freshwater	960 µg/l
ethanol (64-17-5/200-578-6)	PNEC	Marine water	790 µg/l
ethanol (64-17-5/200-578-6)	PNEC	Sewage Treatment Plant	580 mg/l
ethanol (64-17-5/200-578-6)	PNEC	Sediment (freshwater)	3.6 mg/kg

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
ethanol (64-17-5/200-578-6)	PNEC	Sediment (marine water)	2.9 mg/kg
ethanol (64-17-5/200-578-6)	PNEC	Soil	0.63 mg/kg
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Freshwater	1.1 mg/l
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Marine water	110 µg/l
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Sediment (freshwater)	4.4 mg/kg
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Sediment (marine water)	440 µg/kg
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Soil	0.32 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Eye / face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Wear chemical-resistant disposable protective gloves according to EN 374.

Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable

Environmental exposure controls

No special environmental precautions required.

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Blue

Odour

Fresh scent

Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not determined for the mixture.

Boiling point or initial boiling point and boiling range

Not determined for the mixture.

Flammability

Not applicable.

Lower and upper explosion limit

The product / mixture has no explosive properties.

Flash point

48 °C

Auto-ignition temperature

Not applicable.

Decomposition temperature

Not determined for the mixture.

pH

10

Kinematic viscosity

Not determined for the mixture.

Viscosity, dynamic

Not determined for the mixture.

Solubility

Water soluble

Water solubility

Miscible

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not determined for the mixture.

Density and/or relative density

0.99 g/cm³

Relative vapour density

Not determined for the mixture.

Evaporation Rate

Not determined for the mixture.

Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

VOC %

* 9,24%

Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

9.2. Other information

The product has been tested for self-sustaining combustion (L.2) - result: negative.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from frost, heat and sunlight. Keep away from flames and hot surfaces.

10.5. Incompatible materials

Oxidizing agents, strong acids, strong bases.

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

Hazardous decomposition products formed under fire conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components.

Acute toxicity

Based on the available data, the classification criteria are not met.

Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
ethanol 64-17-5 / 200-578-6	LD50	10.470 mg/kg	Oral	-	rat	OECD 401
ethanol 64-17-5 / 200-578-6	LD50	> 2.000 mg/kg	Dermal	-	rabbit	OECD 402
ethanol 64-17-5 / 200-578-6	LC50	> 50 mg/l	Inhalation	4 h	rat	OECD 403
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LD50	2.410 mg/kg	Oral	-	mouse	OECD 401
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LD50	2.764 mg/kg	Skin contact	-	rabbit	OECD 402

Skin corrosion/irritation

Based on the available data, the classification criteria are not met.

Serious eye damage/irritation

Based on the available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
ethanol 64-17-5 / 200-578-6	LC50	8.140 mg/l	48 h	Leuciscus idus	-
2-(2-butoxy- ethoxy)ethanol 112-34-5 / 203-961-6	LC50	1.300 mg/l	96h	Lepomis macrochirus	OECD 203

Acute algae toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
ethanol 64-17-5 / 200-578-6	EC50	> 100 mg/l	Static test	Chlorella pyrenoidosa	OECD 201
ethanol 64-17-5 / 200-578-6	EC50	275 mg/l	72 h	Chlorella vulgaris	OECD 201
2-(2-butoxy- ethoxy)ethanol	EC50	>100 mg/l	96h	Scenedesmus subspicatus	OECD 201

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
 Issued: 2026-06-17
 Replaces SDS: 2022-12-13



Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
112-34-5 / 203-961-6					

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
ethanol 64-17-5 / 200-578-6	EC50	> 10.000 mg/l	48 h	Daphnia magna
2-(2-butoxyethoxy) ethanol 112-34-5 / 203-961-6	EC50	>100 mg/l	48h	Daphnia magna

Micro-/macro organism toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
2-(2-butoxyethoxy) ethanol 112-34-5 / 203-961-6	EC10	>1995 mg/l	0,5h	Activated sludge	OECD 209

12.2. Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

Mobility

No information available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

Other

German Water Class

WGK1 - slightly water endangering

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging: Dispose of as unused product.

Waste code	Waste description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

No dangerous goods in the sense of the transport regulations

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Special precautions for user

The usual precautionary measures when handling chemicals must be observed.

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Other

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: < 5 % anionic surfactants, contains perfumes.

Regulation (EC) No. 1272/2008 (CLP)

EU Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: No

Substance restrictions according to Annex XVII: No

Substances on the REACH candidate list (SVHC): No

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
 Issued: 2026-06-17
 Replaces SDS: 2022-12-13



SECTION 16: Other information

Changes to previous revision

General update without changes.

Abbreviations

ADN - European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
 ADR - The European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE - Acute Toxicity Estimate
 BCF - Bioconcentration Factor
 CAS - Chemical Abstracts Service
 CE - Conformité Européenne (European conformity)
 CLP - Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 CSA - Chemical Safety Assessment
 CSR - Chemical Safety Report
 DMEL - Derived Minimal Effect Level
 DNEL - Derived No Effect Level
 EINECS - European Inventory of Existing Commercial chemical Substances
 ES - Exposure Scenario
 EUH statement - CLP-specific Hazard statement
 EuPCS - European Product Categorisation System
 EWC - European Waste Catalogue
 GHS - Globally Harmonized System of Classification and Labelling of Chemicals
 GWP - Global warming potential
 IARC - International Agency for Research on Cancer (IARC)
 IATA - International Air Transport Association
 IBC - Intermediate Bulk Container
 IMDG - International Maritime Dangerous Goods
 LogPow - logarithm of the octanol/water partition coefficient
 MARPOL - International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" - marine pollution)
 OECD - Organisation for Economic Co-operation and Development
 PBT - Persistent, Bioaccumulative and Toxic
 PNEC - Predicted No Effect Concentration
 RID - The Regulations concerning the International Carriage of Dangerous Goods by Rail
 RRN - REACH Registration Number
 SCL - A specific concentration limit
 STOT-RE - Specific Target Organ Toxicity - Repeated Exposure
 STOT-SE - Specific Target Organ Toxicity - Single Exposure
 SVHC - Substances of Very High Concern
 TWA - Time weighted average
 UN - United Nations
 UVBC - Unknown or variable composition, complex reaction products or of biological materials
 VOC - Volatile Organic Compound
 vPvB - Very Persistent and Very Bioaccumulative

According to Regulation (EC) No 1907/2006

ULTRA GLASREIN

Version number: 5.2
Issued: 2026-06-17
Replaces SDS: 2022-12-13



References to key literature and data sources

REACH registration dossiers
ECHA C&L - Inventory
Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:
Health hazards: calculation method
Physical hazards: The product has been tested for self-sustaining combustion (L.2) - result: negative.

Phrase meaning

Flam. Liq. 2 - Flammable liquids, hazard category 2
Eye Irrit. 2 - Eye irritation, hazard category 2
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.