

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17



KLEEN
PURGATIS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

EASY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Delicates detergent for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email

info@kleen-purgatis.de

1.4. Emergency telephone number

+49 (0)551 - 19240 (GIZ-Nord)

Available outside office hours

Yes

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous according to Regulation (EC) No 1272/2008.

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17



2.2. Label elements

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P264 Wash hands thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Specific concentration limits ATE	Note
Ethanol	64-17-5 200-578-6 01-2119457610-43-xxxx 603-002-00-5	1 - 5%	Flam. Liq. 2	H225 - -		-
Alcohols, C13-15, branched and linear, ethoxylated	157627-86-6 - - -	1 - 5%	Acute Tox. 4 - oral, Eye Dam. 1, Aquatic Chronic 3	H302, H318, H412 - -	Eye Dam. 1, H318: C > 10%	-
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3 270-115-0 01-2119489428-22-xxxx -	1 - 5%	Acute Tox. 4 - oral, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3	H302, H315, H318, H412 - -	ATE [Oral]: 1020 mg/kg bw	-
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8 01-2119488639-16-xxxx -	1 - <3%	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3	H315, H318, H412 - -	Eye Dam. 1, H318: C ≥ 10% Eye Irrit. 2, H319: 5% ≤ C < 10% ATE [Oral]: 4100 mg/kg bw	-

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17



SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

Inhalation

Not applicable

Skin contact

Wash off with soap and water. Consult a physician if necessary.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Consult a physician if necessary.

Information for doctors

For specialist advice physicians should contact the Poisons Information Service. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Immediate effects can be expected after long-term exposure.

Inhalation

Not applicable.

Skin contact

Slight irritation.

Eye contact

Eye irritation, cloudy / blurred field of vision, excessive lachrymation.

Ingestion

Nausea, vomiting, gastrointestinal discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray, dry powder, foam, carbon dioxide (CO₂).

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17



Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product.

6.2. Environmental precautions

Dam up. Do not let product enter drains. Dilute with plenty of water.

6.3. Methods and material for containment and cleaning up

Rinse with water.

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product.

General hygiene

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 12 (non-flammable liquids)

Store in original container.

Storage temperature: 10 °C to 40 °C

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17

**7.3. Specific end use(s)**

See section 1.2: Delicates detergent

PC35 - Washing and cleaning products (including solvent based products)

SECTION 8: Exposure controls/personal protection**8.1. Control parameters***DNEL/DMEL*

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
Ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Oral	87 mg/m ³	Consumers	Systemic
Ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Dermal	343 mg/m ³	Workers	Systemic
Ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Inhalation	950 mg/m ³	Workers	Systemic
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	DNEL	Chronic (long term) Oral	0.85 mg/kg	Consumers	Systemic
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	DNEL	Chronic (long term) Dermal	170 mg/kg	Workers	Systemic
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	DNEL	Chronic (long term) Inhalation	12 mg/kg	Workers	Systemic
alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3/500-234-8)	DNEL	Chronic (long term) Dermal	2750 mg/kg	Workers	Systemic
alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3/500-234-8)	DNEL	Chronic (long term) Inhalation	175 mg/m ³	Workers	Systemic
alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3/500-234-8)	DNEL	Chronic (long term) Oral	15 mg/kg	Consumers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
Ethanol (64-17-5/200-578-6)	PNEC	Freshwater	0.96 mg/l
Ethanol	PNEC	Sediment (freshwater)	3.6 mg/kg

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17

KLEEN
PURGATIS

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
(64-17-5/200-578-6)			
Ethanol (64-17-5/200-578-6)	PNEC	Soil	0.63 mg/kg
Ethanol (64-17-5/200-578-6)	PNEC	Sewage Treatment Plant	580 mg/l
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	PNEC	Marine water	0.0268 mg/kg
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	PNEC	Sediment (freshwater)	8.1 mg/kg
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	PNEC	Sewage Treatment Plant	3.43 mg/kg
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3/270-115-0)	PNEC	Freshwater	0.268 mg/kg
alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3/500-234-8)	PNEC	Freshwater	0.24 mg/l
alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3/500-234-8)	PNEC	Sewage Treatment Plant	10000 mg/l
alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3/500-234-8)	PNEC	Sediment (freshwater)	0.9168 mg/kg
alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3/500-234-8)	PNEC	Soil	7.5 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Not required.

Eye / face protection

Chemical-resistant safety glasses with side protection conforming to EN166.

Hand protection

Chemical-resistant protective gloves (EN 374)

Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable.

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17



Environmental exposure controls

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Pink

Odour

perfumed

Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not applicable.

Boiling point or initial boiling point and boiling range

Not applicable.

Flammability

Not determined for the mixture.

Lower and upper explosion limit

The product / mixture has no explosive properties.

Flash point

> 60 °C

Auto-ignition temperature

Not determined for the mixture.

Decomposition temperature

Not determined for the mixture.

pH

8 - 9

Kinematic viscosity

No data available

Viscosity, dynamic

0,2 dPas

Method

Haake, 20°C

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17



Solubility

Water soluble

Water solubility

miscible

Partition coefficient n-octanol/water

No information available

Vapour pressure

Not applicable.

Density and/or relative density

1.02 g/cm³

Relative density

No information available

Relative vapour density

Not applicable.

Evaporation Rate

Not applicable.

Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

VOC %

VOC (CH): 4,5 %

Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal use.

10.2. Chemical stability

Stable at normal conditions

10.3. Possibility of hazardous reactions

None under normal use.

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17



10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components.

Acute toxicity

Based on the available data, the classification criteria are not met.

Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
Benzenesulfonic acid, C10-13- alkyl derivs., sodium salts 68411-30-3 / 270-115-0	LD50	~ 1020 mg/kg	Oral	-	rat	-
Alcohols, C13- 15, branched and linear, ethoxylated 157627-86-6 /	LD50	>300 - 2.000 mg/kg	Oral	-	rat	-
alcohols, C12- 14, ethoxylated, sulfates, sodium salts 68891-38-3 / 500-234-8	LD50	4.100 mg/kg	Oral	-	rat	OECD 401
alcohols, C12- 14, ethoxylated, sulfates, sodium salts 68891-38-3 / 500-234-8	LD50	> 2.000 mg/kg	Dermal	-	rat	OECD 402
Ethanol 64-17-5 / 200-578-6	LC50	> 50 mg/l	Inhalation	4 h	rat	OECD 403
Ethanol	LD50	10.470 mg/kg	Oral	-	rat	OECD 401

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17

KLEEN
PURGATIS

Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
64-17-5 / 200-578-6						
Ethanol 64-17-5 / 200-578-6	LD50	> 2.000 mg/kg	Dermal	-	rabbit	OECD 402

Skin corrosion/irritation

May cause eye/skin irritation.

Serious eye damage/irritation

The liquid splashed in the eyes may cause irritation and reversible damage.

Respiratory or skin sensitisation

Not applicable

Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17

**SECTION 12: Ecological information****12.1. Toxicity****Acute fish toxicity**

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3 / 270-115-0	LC50	1,67 mg/l	96 h	Bluegill sunfish	-
Alcohols, C13-15, branched and lin- ear, ethoxylated 157627-86-6 /	LC50	>1 - 10 mg/l	96h	Brachydanio rerio	-
alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3 / 500-234-8	LC50	7,1 mg/l	96h	Fisch	OECD 203
Ethanol 64-17-5 / 200-578-6	LC50	8.140 mg/l	48 h	Leuciscus idus	-

Acute algae toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3 / 270-115-0	EC50	29 mg/l	96 h	Pseudokirchneriella subcapitata	-
Alcohols, C13-15, branched and linear, ethoxylated 157627-86-6 /	EC50	>1 - 10 mg/l	72h	Scenedesmus sub- spicatus	-
alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3 / 500-234-8	EC50	7,5 mg/l	96h	algae	OECD 202
Ethanol 64-17-5 / 200-578-6	EC50	275 mg/l	72 h	Chlorella vulgaris	OECD 201

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
 Issued: 2025-10-29
 Replaces SDS: 2022-03-17



Acute crustacean toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3 / 270-115-0	EC50	2,9 mg/l	48 h	Daphnia magna	-
Alcohols, C13-15, branched and linear, ethoxylated 157627-86-6 /	EC50	>1 - 10 mg/l	48h	Daphnia magna	-
alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3 / 500-234-8	EC50	7,2 mg/l	48h	Daphnia magna	OECD 201
Ethanol 64-17-5 / 200-578-6	EC50	> 10.000 mg/l	48 h	Daphnia magna	-

Micro-/macro organism toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Species
Alcohols, C13-15, branched and linear, ethoxylated 157627-86-6 /	EC10	> 1.000 mg/l	Activated sludge

12.2. Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

Mobility

No information available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17



12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

Other

German Water Class

WGK2 - significantly water endangering

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

waste disposal accordance with applicable local/regional/national/international regulations .

Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging : Dispose of as unused product.

Waste code	Waste description
20 01 30	detergents other than those mentioned in 20 01 29

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3. Transport hazard class(es)

Label

Not classified as dangerous in the meaning of transport regulations.

14.4. Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5. Environmental hazards

Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
 Issued: 2025-10-29
 Replaces SDS: 2022-03-17



14.6. Special precautions for user

Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

Not classified as dangerous in the meaning of transport regulations.

Other

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: 5-15 % anionic surfactants, < 5 % non-ionic surfactants, soap, contains preservation agents, BENZISOTHIAZOLINONE, perfumes.

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: not applicable

Substance restrictions according to Annex XVII: not applicable

Substances on the REACH candidate list (SVHC): not applicable

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
 Issued: 2025-10-29
 Replaces SDS: 2022-03-17



SECTION 16: Other information

Changes to previous revision

Section 9. Physical and chemical properties: VOC

Abbreviations

ADN - European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR - The European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS - Chemical Abstract Service

CLP - Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

DMEL - Derived Minimum Effect Level

DNEL - Derived No Effect Level

EC50 - Half maximal effective concentration 50%

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LC50 - Lethal concentration 50%

LD50 - Lethal dosis 50 %

MARPOL - International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978. ("Marpol" - marine pollution)

PBT - Persistent, bioaccumulative and toxic substance

PEC - Predicted Environmental Concentration

PNEC - Predicted No Effect Concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals

RID - The regulations concerning the International Carriage of Dangerous Goods by Rail

SVHC - Substance of Very High Concern

vPvB - Very persistent, very bioaccumulative substance

References to key literature and data sources

REACH registration dossiers

ECHA C&L - Inventory

Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:

The skin and/or eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9(3) and Article 9(4) of Regulation (EC) No 1272/2008. DetNet logging number: 1678

According to Regulation (EC) No 1907/2006

EASY

Version number: 6.1
Issued: 2025-10-29
Replaces SDS: 2022-03-17



Phrase meaning

Flam. Liq. 2 - Flammable liquids, hazard category 2
Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4
Eye Dam. 1 - Serious eye damage, hazard category 1
Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3
Skin Irrit. 2 - Skin irritation, hazard category 2
H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.