

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
Issued: 2025-07-29
Replaces SDS: 2021-11-29



KLEEN
PURGATIS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

PUSH WC Cleaner

UFI code

XMA2-1C79-WH1M-307J

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Sanitary cleaner / Descaler for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email

info@budich.de

1.4. Emergency telephone number

+49 (0)551- 19240 (GIZ-Nord)

Available outside office hours

Yes

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
Issued: 2025-07-29
Replaces SDS: 2021-11-29



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous according to Regulation (EC) No 1272/2008.

2.2. Label elements

The product does not require labelling in accordance with CLP Regulation (EC) No 1272/2008.

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Specific concentration limits ATE	Note
DL-malic acid	617-48-1 210-514-9 01-2119552463-40-xxxx -	1 - 3%	Skin Irrit. 2, Eye Irrit. 2	H315, H319 - -		-
citric acid	77-92-9 201-069-1 01-2119457026-42-xxxx -	1 - 2%	Eye Irrit. 2, STOT SE 3 - resp. tract irrit.	H319, H335 - -		-
N-C8-18-amidopropyl betaine	97862-59-4 931-296-8 01-2119488533-30-xxxx -	1 - <2%	Eye Dam. 1, Aquatic Chronic 3	H318, H412 - -	Eye Dam. 1, H318: C ≥ 10% Eye Irrit. 2, H319: 4% ≤ C < 10% ATE [Oral]: 2335 mg/kg bw ATE [Dermal]: 620 mg/kg bw	-

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
Issued: 2025-07-29
Replaces SDS: 2021-11-29



Inhalation

Take the victim into fresh air. Consult a physician if necessary.

Skin contact

Wash off with soap and water. If skin irritation or rash occurs, seek medical advice/attention.

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion

Do not induce vomiting. Drink water. Call physician immediately.

Information for doctors

For specialist advice physicians should contact the Poisons Information Service.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Not applicable

Skin contact

May cause skin irritation.

Eye contact

May cause eye irritation.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray, dry powder, foam, carbon dioxide (CO₂).

The product is not flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

None known

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
Issued: 2025-07-29
Replaces SDS: 2021-11-29



Other

Other

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Evacuate unaffected personnel from the spill area. Ensure adequate ventilation, especially in confined areas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Dam up.

6.3. Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product.

General hygiene

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from food, drink and animal feeding stuffs. Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 12 (non-flammable liquids)

Storage temperature: 10 °C to 40 °C

7.3. Specific end use(s)

GISCODE: GS10

See section 1.2: Sanitary cleaner / Descaler

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
Issued: 2025-07-29
Replaces SDS: 2021-11-29



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
DL-malic acid (617-48-1/210-514-9)	DNEL	Chronic (long term) Inhalation	32 mg/m ³	Workers	Local
DL-malic acid (617-48-1/210-514-9)	DNEL	Chronic (long term) Inhalation	5.33 mg/m ³	Workers	Systemic
DL-malic acid (617-48-1/210-514-9)	DNEL	Chronic (long term) Oral	6 mg/kg	Consumers	Systemic
DL-malic acid (617-48-1/210-514-9)	DNEL	Acute (short term) Oral	20 mg/kg	Consumers	Systemic
DL-malic acid (617-48-1/210-514-9)	DNEL	Acute (short term) Inhalation	104 mg/m ³	Workers	Systemic
N-C8-18-amidopropyl betaine (97862-59-4/931-296-8)	DNEL	Chronic (long term) Dermal	7.5 mg/kg	Consumers	Systemic
N-C8-18-amidopropyl betaine (97862-59-4/931-296-8)	DNEL	Chronic (long term) Oral	7.5 mg/kg	Workers	Systemic
N-C8-18-amidopropyl betaine (97862-59-4/931-296-8)	DNEL	Chronic (long term) Inhalation	44 mg/m ³	Workers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
DL-malic acid (617-48-1/210-514-9)	PNEC	Freshwater	0.1 mg/l
DL-malic acid (617-48-1/210-514-9)	PNEC	Marine water	0.01 mg/l
DL-malic acid (617-48-1/210-514-9)	PNEC	Sewage Treatment Plant	3 mg/l
citric acid (77-92-9/201-069-1)	PNEC	Freshwater	0.44 mg/l
citric acid (77-92-9/201-069-1)	PNEC	Marine water	0.044 mg/l
citric acid (77-92-9/201-069-1)	PNEC	Sewage Treatment Plant	1000 mg/l
citric acid (77-92-9/201-069-1)	PNEC	Sediment (freshwater)	34.6 mg/kg

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
 Issued: 2025-07-29
 Replaces SDS: 2021-11-29



Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
citric acid (77-92-9/201-069-1)	PNEC	Sediment (marine water)	3.46 mg/kg
citric acid (77-92-9/201-069-1)	PNEC	Soil	33.1 mg/kg
N-C8-18-amidopropyl betaine (97862-59-4/931-296-8)	PNEC	Freshwater	0.0135 mg/l
N-C8-18-amidopropyl betaine (97862-59-4/931-296-8)	PNEC	Sediment (freshwater)	11.1 mg/kg
N-C8-18-amidopropyl betaine (97862-59-4/931-296-8)	PNEC	Soil	0.85 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Not applicable

Eye / face protection

Chemical-resistant safety glasses with side protection conforming to EN166.

Hand protection

Wear chemical-resistant disposable protective gloves according to EN 374.

Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Red

Odour

Fresh citrus fruits

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
Issued: 2025-07-29
Replaces SDS: 2021-11-29



Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not determined for the mixture.

Boiling point or initial boiling point and boiling range

No data available

Flammability

Not applicable.

Lower and upper explosion limit

No data available

Flash point

No data available

Auto-ignition temperature

Not applicable.

Decomposition temperature

Not determined for the mixture.

pH

1.8

Kinematic viscosity

Not determined for the mixture.

Viscosity, dynamic

Not determined for the mixture.

Solubility

Water soluble

Water solubility

Miscibility

Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not determined for the mixture.

Density and/or relative density

Not determined for the mixture.

Relative density

1,025 g/ml

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
Issued: 2025-07-29
Replaces SDS: 2021-11-29



Relative vapour density

Not determined for the mixture.

Evaporation Rate

Not determined for the mixture.

Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

VOC %

< 3 %

Particle characteristics

No data available

9.2. Other information

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

Metals, chlorinated cleaners

10.6. Hazardous decomposition products

For information on combustion products, see Section 5.
Heat development on contact with alkalis.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
 Issued: 2025-07-29
 Replaces SDS: 2021-11-29

**Acute toxicity**

Based on the available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline	Remarks
DL-malic acid 617-48-1 / 210-514-9	LD50	9.300 mg/kg	Oral	-	rat	OECD 401	-
DL-malic acid 617-48-1 / 210-514-9	LC50	>1.306 mg/l	Inhalation	4 h	rat	OECD 403	-
citric acid 77-92-9 / 201-069-1	LD50	5.400 mg/kg	Oral	-	mouse	OECD 401	ECHA
citric acid 77-92-9 / 201-069-1	LD50	>2.000 mg/kg	Dermal	-	rat	OECD 402	ECHA
N-C8-18- amidopropyl betaine 97862-59-4 / 931-296-8	LD50	2.335 mg/kg	Oral	-	rat	-	-

Skin corrosion/irritation

May cause skin irritation.

Serious eye damage/irritation

May cause eye irritation.

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
Issued: 2025-07-29
Replaces SDS: 2021-11-29



Aspiration hazard

Based on the available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
DL-malic acid 617-48-1 / 210-514-9	LC50	>100 mg/l	96h	Danio rerio	OECD 203	-
citric acid 77-92-9 / 201-069-1	LC50	440 mg/l	48 h	Leuciscus idus	OECD 203	ECHA
N-C8-18-amido- propyl betaine 97862-59-4 / 931-296-8	LC50	1,1 mg/l	96h	Pimephales promelas	-	-

Acute algae toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
DL-malic acid 617-48-1 / 210-514-9	EC50	>100 mg/l	72h	Pseudokirchneriella subcapitata	Static test
N-C8-18-amido- propyl betaine 97862-59-4 / 931-296-8	EC50	1,5 mg/l	72 h	algae	-

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
 Issued: 2025-07-29
 Replaces SDS: 2021-11-29



Acute crustacean toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
DL-malic acid 617-48-1 / 210-514-9	EC50	47,52 mg/l	48h	Daphnia magna	OECD 202	-
citric acid 77-92-9 / 201-069-1	LC50	1.535 mg/l	24 h	Daphnia magna	-	ECHA
N-C8-18-amido- propyl betaine 97862-59-4 / 931-296-8	EC50	1,9 mg/l	48 h	Daphnie	-	-

Micro-/macro organism toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
DL-malic acid 617-48-1 / 210-514-9	EC50	>300 mg/l	3h	Bacteria (activated sludge)	OECD 209

12.2. Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

Mobility

No information available

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
Issued: 2025-07-29
Replaces SDS: 2021-11-29



Other

German Water Class

WGK1 - slightly water endangering

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging: Dispose of as unused product.

Waste code	Waste description
20 01 30	detergents other than those mentioned in 20 01 29

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3. Transport hazard class(es)

Label

Not classified as dangerous in the meaning of transport regulations.

14.4. Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5. Environmental hazards

Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6. Special precautions for user

Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Other

Not applicable

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
 Issued: 2025-07-29
 Replaces SDS: 2021-11-29



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: < 5 % amphoteric surfactants, contains perfumes, LIMONENE.

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: No

Substance restrictions according to Annex XVII: No

Substances on the REACH candidate list (SVHC): No

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

General update without changes.

Abbreviations

ADN - European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR - The European Agreement concerning the International Carriage of Dangerous Goods by

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
 Issued: 2025-07-29
 Replaces SDS: 2021-11-29



Road

CAS - Chemical Abstract Service

CLP - Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

DMEL - Derived Minimum Effect Level

DNEL - Derived No Effect Level

EC50 - Half maximal effective concentration 50%

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LC50 - Lethal concentration 50%

LD50 - Lethal dosis 50 %

MARPOL - International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978. ("Marpol" - marine pollution)

PBT - Persistent, bioaccumulative and toxic substance

PEC - Predicted Environmental Concentration

PNEC - Predicted No Effect Concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals

RID - The regulations concerning the International Carriage of Dangerous Goods by Rail

SVHC - Substance of Very High Concern

vPvB - Very persistent, very bioaccumulative substance

References to key literature and data sources

REACH registration dossiers

ECHA C&L - Inventory

Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:

Health hazards: calculation method

Phrase meaning

Skin Irrit. 2 - Skin irritation, hazard category 2

Eye Irrit. 2 - Eye irritation, hazard category 2

STOT SE 3 - resp. tract irrit. - Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation

Eye Dam. 1 - Serious eye damage, hazard category 1

Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

According to Regulation (EC) No 1907/2006

PUSH WC Cleaner

Version number: 5.1
Issued: 2025-07-29
Replaces SDS: 2021-11-29



Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.